
Air Saving Valve


ASR Series ASQ Series

Pressure Valve Flow Valve





Cuts air consumption by operating the return stroke at a reduced pressure.




Smooth operation of working and return strokes possible.

Consistent speed control achieved by preventing jerky movement of working strokes.

Improved response time

Operation delay in a return stroke is reduced by the use of a quick supply and exhaust valve.



Cylinder speed: 200 mm/sec Cylinder stroke: 200 mm

MT III ZIZI
Pressure valve Flow valve
Working stroke Quick supply and exhaust valve
Return stroke

Cylinder operating	Air consumption	
Working stroke	Return stroke	reduction ratio (%)
	0.5	0
0.5	0.3	17
0.5	0.2	25
	0.1	33

Easy piping

The body and One-touch fitting allow 360° rotation. The sealant on the male thread is standardized.



The set pressure can be either fixed or variable.

Fixed set pressure type Variable set pressure type
(Fixed at 0.2 MPa) (Variable between Grant Cartes)



Pressure valve Flow



Pressure valve




Flow valve


A knob cap is attached to the variable set pressure type.

Other applications

Jerk prevention in vertical operation of the cylinder



Quick air charge at the end of stroke for press applications



Series Variations

Мо	Port	Applicable tubing O.D. (mm)					
Pressure valve	Flow valve	size	6	8	10	12	
ASR430F-02	ASQ430F-02	R1/4	•	•	•		
ASR530F-02	ASQ530F-02	R1/4	•	•	•	•	
ASR530F-03	ASQ530F-03	R3/8	•	•	•	•	
ASR630F-03	ASQ630F-03	R3/8			•	•	
ASR630F-04	ASQ630F-04	R1/2			•	•	


Air Saving Valve Pressure Valve Flow Valve

ASR Series/ASQ Series

Pressure valve: ASR series




Regulator with check valve and flow control valve integrated into a single construction




Flow valve: ASQ series



Pilot valve and two-way flow control valve integrated into a single construction



How to Order



Model

Mo	Port size	Applicable tubing O.D. (mm)						
Pressure valve	Flow valve	FUIT SIZE	6	8	10	12		
ASR430F-02	ASQ430F-02	R1/4	•	•	•			
ASR530F-02	ASQ530F-02	R1/4	•	•	•	•		
ASR530F-03	ASQ530F-03	R3/8	•	•	•	•		
ASR630F-03	ASQ630F-03	R3/8			•	•		
ASR630F-04	ASQ630F-04	R1/2			•	•		

Specifications

Fluid		Air
Proof pressure		1.5 MPa
Maximum operating pressure		1.0 MPa
Set pressure	Variable	0.1 to 0.3 MPa
range	Fixed (option)	0.2 MPa
Ambient and flu	uid temperature	-5 to 60°C (with no freezing)
Applicable tubi	ng material	Nylon, Soft nylon, Polyurethane

ASR Series / ASQ Series

Effective Area

Pressure Valve: ASR Series


	Free flo	w	Controlled	flow							
Type	Sonic conductance	Critical	Sonic conductance	Critical							
	dm3/(s-bar)	pressure ratio	dm3/(s-bar)	pressure ratio							
ASR430F-02-06S(-F20)	1		1.1								
ASR430F-02-08S(-F20)	1.1		1.2]							
ASR430F-02-10S(-F20)	1.1		1.2]							
ASR530F-02-06S(-F20)	1.3		1.5								
ASR530F-02-08S(-F20)	1.6		2.1								
ASR530F-02-10S(-F20)	1.7		2.4]							
ASR530F-02-12S(-F20)	1.7		2.5]							
ASR530F-03-06S(-F20)	1.3	0.2	1.5	0.25							
ASR530F-03-08S(-F20)	1.6		2.1]							
ASR530F-03-10S(-F20)	1.7		2.4								
ASR530F-03-12S(-F20)	1.7		2.5]							
ASR630F-03-10S(-F20)	2.8		3.2]							
ASR630F-03-12S(-F20)	2.9		3.5]							
ASR630F-04-10S(-F20)	2.8		3.2]							
ASR630F-04-12S(-F20)	2.9		3.5								

Flow Valve: ASQ Series


	Meter-o	ut	Meter-in		
Type	Sonic conductance	Critical	Sonic conductance	Critical	
	dm3/(s-bar)	pressure ratio	dm3/(s-bar)	pressure ratio	
ASQ430F-02-06S(-F20)	0.7		0.9		
ASQ430F-02-08S(-F20)	8.0		1		
ASQ430F-02-10S(-F20)	8.0		1		
ASQ530F-02-06S(-F20)	1.2		1.4		
ASQ530F-02-08S(-F20)	1.7		1.8		
ASQ530F-02-10S(-F20)	1.8		2		
ASQ530F-02-12S(-F20)	2		2.1		
ASQ530F-03-06S(-F20)	1.2	0.2	1.4	0.25	
ASQ530F-03-08S(-F20)	1.7		1.8		
ASQ530F-03-10S(-F20)	1.8		2		
ASQ530F-03-12S(-F20)	2		2.1		
ASQ630F-03-10S(-F20)	2.8		3.1		
ASQ630F-03-12S(-F20)	3		3.3		
ASQ630F-04-10S(-F20)	2.8		3.1		
ASQ630F-04-12S(-F20)	3		3.3		

Operating Principle


Working Stroke




 The cylinder starts smoothly because jerks are prevented by meter-in control.




2. When the cylinder reaches the stroke end, the quick air charge by the flow valve rapidly increases the rear side pressure (PH) from A to B. If a speed controller is used instead of the flow valve, charging air will take more time as illustrated by line A-C, causing delay in the pressure rise.




Return Stroke



3. To prevent delay due to the pressure gap, air is rapidly exhausted to decrease the pressure from D to E, after which the piston moves at a constant speed. If a speed controller is used instead of the flow valve, exhausting air will take more time as illustrated by line D-F, resulting in longer stop time of the cylinder and a consequent time loss.



4. The cylinder operates at a low pressure required for a return.




Pressure Valve ASR Series / Flow Valve ASQ Series

Flow Rate Characteristics


Note) The flow rate characteristics are representative values.

Pressure Valve: ASR Series (Inlet pressure: 0.5 MPa)






ASR530F




ASR630F




Flow Valve: ASQ Series


Meter-out Type (Inlet pressure: 0.3 MPa)

ASQ430F






ASQ630F




Meter-in Type (Inlet Pressure: 0.5 MPa)


ASQ430F



ASQ530F




ASQ630F




Pressure Characteristics (ASR)

ASR430F, ASR530F



ASR630F



ASR Series/ASQ Series


Selection and Adjustment

Install a flow valve on the working side which requires the cylinder output and a pressure valve on the return side. The product cannot be used in cases where the same pressure is necessary for both working and return strokes.

In such cases use a speed controller.

Horizontal mounting


Low pressure side: Pressure valve High pressure side: Flow valve





Vertical mounting

Low pressure side: Pressure valve High pressure side: Flow valve



In case the load ratio is 50% or lower at the set pressure of the flow valve:




Adjustment Procedure

for pressure and speed adjustment.



If the load ratio at the set pressure of the flow valve exceeds 50%, install a dual speed controller (meter-in and meter out control) on the high pressure side.

Low pressure side: Pressure valve High pressure side: Dual speed controller





Refer to
Adjustment Procedure 2


for pressure and speed adjustment.

Pressure Valve ASR Series/Flow Valve ASQ Series

Adjustment Procedure

Pressure Adjustment

- 1. The fixed set pressure type (-F20) does not require adjustment because the pressure is fixed at 0.2 MPa for both the pressure valve and the flow valve.
- 2. The set pressures of the variable set pressure type pressure valve and flow valve are adjusted with knob (A) and knob (B) respectively. Turn the knob clockwise to increase the pressure and counterclockwise to decrease the pressure.
- 3. The graduations 1, 2 and 3 correspond to 0.1, 0.2 and 0.3 MPa respectively. Align the bottom end of the knob with the graduated line for adjustment.



- 4. Set the same pressure for the pressure valve and the flow valve (0.2 MPa as the recommended value).
- 5. The inlet side should be supplied with a pressure which is higher than the set pressure by 0.1 MPa or more.
- 6. Cap the valve after adjustment.

Pressure Valve: ASR Series



Adjustment Procedure 2

Pressure Adjustment

- 1. The fixed set pressure type (-F20) does not require adjustment because the pressure is fixed at 0.2 MPa.
- 2. The pressure at the low pressure side (return stroke side) is adjusted by the pressure valve.
- 3. The set pressure is adjusted with knob (A). Turn the knob clockwise to increase the pressure and counterclockwise to decrease the pressure.
- 4. The graduations 1, 2 and 3 correspond to 0.1, 0.2 and 0.3 MPa respectively. Align the bottom end of the knob with the graduated line for adjustment.
- 5. Keep the set pressure as low as possible in order to achieve good air saving effect.
- 6. Cap the valve after adjustment.

Pressure Valve: ASR Series



Speed Control

- 1. The cylinder speed is adjusted with knobs () and (). First have all the knobs fully closed and then open them gradually for adjustment. Turn the knob clockwise to close (decrease the speed of the piston rod) and counterclockwise to open (increase the speed of the piston rod).
- 2. Speed adjustment for the working stroke

The speed is adjusted with the pressure valve and the flow

Open knobs (and (a) gradually until the required speed is achieved. Make sure that knobs (b) and (a) are opened by the same number of rotations.

Note 1) If the piston rod jerks, close knob (a) until the smooth operation is achieved.

- 3. Speed adjustment for return stroke
 - The speed is adjusted with the flow valve.
 - Open knob (1) gradually until the required speed is achieved.
- 4. Be sure to tighten the lock nut after adjustment.

Flow Valve: ASQ Series



Speed Control

- 1. The cylinder speed is adjusted with knobs (), () and (). First have all the knobs fully closed and then open them gradually for adjustment. Turn the knob clockwise to close (decrease the speed of the pistoin rod) and counterclockwise to open (increase the speed of the piston rod).
- 2. Speed adjustment for the working stroke

The speed is adjusted with the pressure valve and the dual speed controller

Open knobs (a) and (b) gradually until the required speed is achieved. Make sure that knobs (b) and (c) are opened by the same number of rotations.

Note 1) If the piston rod jerks, close knob @ until the smooth operation is achieved.

- 3. Speed adjustment for return stroke
 - The speed is adjusted with the dual speed controller.
 - Open knob pradually until the required speed is achieved.
- 4. Be sure to tighten the lock nut after adjustment.

Dual Speed Controller: ASD Series







ASR Series/ASQ Series

Construction


Pressure Valve: ASR Series





6 10 11


(8)





Component Parts

••••	ponont i arto		
No.	Description	Material	Note
1	Body A	PBT	
2	Body B	Brass	Electroless nickel plated
3	Seat ring	Brass	Electroless nickel plated
4	Body B1	Brass	Electroless nickel plated
5	Body B2	Brass	Electroless nickel plated
6	Body C	Brass	Electroless nickel plated
7	Stopper	Stainless steel	
8	Valve	HNBR/Brass	
9	Piston	Brass	
10	Adjustment screw	Brass	Electroless nickel plated
11	Knob	Brass	Electroless nickel plated
12	Сар	Polypropylene	
13	Adjustment spring	Steel wire	










No.	Description	Material	Note
14	U seal	HNBR	
15	Body C	Brass	Electroless nickel plated
16	Adjustment plug	Brass	Electroless nickel plated
17	Needle	Brass	Electroless nickel plated
18	Knob	PBT	
19	Lock nut	Steel (3)	Zinc chromated (3)
20	U seal	HNBR	
21	Elbow body	PBT	
22	Spacer (1)	PBT	
23	Cassette	_	
24	Seal	NBR	
25	Drive body (2)	Brass	Electroless nickel plated
NI-4- di	N-4 6 6 1	2	


Note 1) Not used for ø6 and ø8.


Note 2) Not used for ø10 and ø12.

Note 3) The material and surface treatment of the lock nut option-J (round type) is brass and electroless nickel plating, respectively. However, note that only the ASP4307 uses steel and electroless nickel plating.

Flow Valve: ASQ Series










Component Parts

No.	Description	Material	Note
1	Body A	PBT	
2	Body B	Brass	Electroless nickel plated
3	Seat ring	Brass	Electroless nickel plated
4	Body B1	Brass	Electroless nickel plated
5	Body B2	Brass	Electroless nickel plated
6	Adjustment screw	Brass	Electroless nickel plated
7	Knob	Brass	Electroless nickel plated
8	Сар	Polypropylene	
9	Adjustment plug	Brass	Electroless nickel plated
10	Body C	Brass	Electroless nickel plated
11	Body D1	Brass	Electroless nickel plated
12	Body D2	Brass	Electroless nickel plated
13	Body D3	Brass	Electroless nickel plated









No.	Description	Material	Note
14	Piston valve	HNBR/Brass	
15	Adjustment spring	Steel wire	
16	Needle	Brass	Electroless nickel plated
17	Knob	PBT	
18	Lock nut	Steel (3)	Zinc chromated (3)
19	Lock nut	Steel (3)	Black zinc chromated
20	U seal	HNBR	
21	U seal	HNBR	
22	Elbow body	PBT	
23	Spacer (1)	PBT	
24	Cassette	_	
25	Seal	NBR	
26	Drive body (2)	Brass	Electroless nickel plated

Note 1) Not used for ø6 and ø8. Note 2) Not used for ø10 and ø12.


Note 3) The material and surface treatment of the lock nut option-J (round type) is brass and electroless nickel plating, respectively. However, note that only the ASQ430F uses steel and electroless nickel plating.

ASR Series/ASQ Series


Dimensions


Pressure Valve: ASR Series


Variable set pressure type



Fixed set pressure type (-F20)







Model	d (1)	_	н	D1	D2	D3	L1	L2	12(2)	L4 (3)	L5	(4)	L6	A1 (5)		A2 (5)	М	Weigh	t (g) (6)										
Model	u (··/	•	"	יט	D2	מ		LZ	L3 (-/	L4 (*)	Max.	Min.	LO	Max.	Min.	A2 (*)	IVI	*1	*2										
ASR430F-02-06S,-F20	6						57.7	34.9									17	111	89										
ASR430F-02-08S,-F20	8	R1/4	17	18.5	20	21.5	58.7	35.9	63.7	45.6	50.6	45.6	23	44.6	39.6	16.8	18.5	114	93										
ASR430F-02-10S,-F20	10						53.8	31									21	105	82										
ASR530F-02-06S,-F20	6						62.9	36.5									17	150	127										
ASR530F-02-08S,-F20	8	R1/4	21	18.5	24.3	25.3	63.9	37.5	67.3	49.2	55.8	50.8	25.9	49.8	44.8	18.8	18.5	153	130										
ASR530F-02-10S,-F20	10	N 1/4 4	21	21	21	21	21	21	21	21	21	21		24.3	25.3	59	32.6	67.3	49.2	55.6	50.6	25.9	49.6	44.0	10.0	21	143	120	
ASR530F-02-12S,-F20	12			20.9			60.8	34.4									22	146	122										
ASR530F-03-06S,-F20	6	R3/8 2															62.9	36.5									17	160	137
ASR530F-03-08S,-F20	8		21	18.5	24.3	25.3	63.9	37.5		400	57.4	52.4 25	25.9	51	46	20	18.5	163	140										
ASR530F-03-10S,-F20	10		H3/8	H3/8 21	21		24.3	25.3	59	32.6	67.3	.3 49.2	57.4	52.4 25.	25.9	31	40	20	21	153	130								
ASR530F-03-12S,-F20	12			20.9			60.8	34.4									22	156	133										
ASR630F-03-10S,-F20	10	R3/8	25	18.5	29.7	30	62.8	32.6	86.3	65.5	67.6	60.1	27.7	61.2	53.7	20.6	21	237	219										
ASR630F-03-12S,-F20	12	n3/6	25	20.9	29.7	30	64.6	34.4	60.3	05.5	07.0	60.1	27.7	/ 01.2	53.7	20.6	22	239	221										
ASR630F-04-10S,-F20	10	R1/2	25	18.5	29.7	30	62.8	32.6	86.3	65.5	71.1	63.6	27.7	62.9	55.4	24.1	21	257	239										
ASR630F-04-12S,-F20	12	H 1/2	25	20.9	29.7	30	64.6	34.4	00.3	05.5	71.1	03.0	21.1	02.9	55.4	24.1	22	259	239										

Note 1) "d" indicates the applicable tubing O.D. Note 2) L3 is the dimension for the variable set pressure type.

Note 3) L4 is the dimension for the fixed set pressure type.


Note 4) Reference dimensions


Note 5) A1 and A2 are reference dimensions after installation.


Note 6) *1 is the weight for the variable set pressure type and *2 is that for the fixed set pressure type.


Flow Valve: ASQ Series Variable set pressure type

Fixed set pressure type









Model	d (1)	т	Н	D1	D2	D3	D4	L1	L2	L3	L4 (2)		1.5 (2)	L C (4)	L7 (2)		L8	A1	(5)	A2 (5)	M	Weight (g) (6)	
											Max.	Min.	L5 (3)	(3) L6 (4)	Max.	Min.	L8	Max.	Min.	A2 (5)	IVI	*1	*2
ASQ430F-02-06S,-F20	6			18.5	20	21.5	19.5	61.6	34.9	-	49.4	44.4	88.8	68.7	50.6	45.6	23	44.6	39.6	'	17	136	114
ASQ430F-02-08S,-F20	8	R1/4	17					62.6	35.9												18.5	139	117
ASQ430F-02-10S,-F20	10							57.7	31												21	130	108
ASQ530F-02-06S,-F20	6	R1/4	21	18.5	24.3	24.8	20.4	65.6	36.5	23.4	53.5	48.5	92.2	72	55.8	50.8	25.6	49.8	44.8	19	17	178	155
ASQ530F-02-08S,-F20	8							66.6	37.5												18.5	181	158
ASQ530F-02-10S,-F20	10							61.7	32.6												21	172	149
ASQ530F-02-12S,-F20	12			20.9				63.5	34.4												22	174	151
ASQ530F-03-06S,-F20	6		21	18.5	24.3	24.8	20.4	65.6	36.5	23.4	53.5	48.5	93.8	73.6	57.4	52.4	25.6	51	46	20.2	17	188	165
ASQ530F-03-08S,-F20	8	R3/8						66.6	37.5												18.5	191	168
ASQ530F-03-10S,-F20	10	no/o						61.7	32.6												21	182	159
ASQ530F-03-12S,-F20	12			20.9				63.5	34.4												22	184	161
ASQ630F-03-10S,-F20	10	R3/8	25	18.5	29.7	30.7	30	74.8	32.6	30.8	74.3	66.8	107.9	86.9	67.6	60.1	28	61.2	53.7	20.8	21	310	292
ASQ630F-03-12S,-F20	12			20.9				76.6	34.4												22	312	294
ASQ630F-04-10S,-F20	10	R1/2	25	18.5	1 29.7 I	30.7	30	74.8	32.6	→ 30.8	74.3	66.8	111.4	90.4	71.1	63.6	28	62.9	55.4	24.1	21	330	312
ASQ630F-04-12S,-F20	12			20.9				76.6	34.4												22	332	314

Note 1) "d" indicates the applicable tubing O.D..

Note 2) Reference dimensions

Note 3) L5 is the dimension for the variable set pressure type.

Note 4) L6 is the dimension for the fixed set pressure type.

Note 5) A1 and A2 are reference dimensions after installation.

Note 6) *1 is the weight for the variable set pressure type and *2 is that for the fixed set pressure type.





ASR/ASQ Series Specific Product Precautions

Be sure to read this before handling the products. Refer to page 11 for safety instructions and pages 19 to 22 for flow control equipment precautions.

Selection

.∱.Warning

 Keep the set pressure range of the outlet pressure of the pressure valve within 85% that of the inlet pressure.

If the value exceeds 85%, the outlet pressure may become unstable, affected by the fluctuation of the inlet pressure.

Installation

∧ Warning

 The number of opening and closing rotations of the needle valve and adjustment screw should be adjusted within the range of the specifications.

Since it has a pull-out stop mechanism, it will not rotate past the limit. Confirm the number of rotations for the product being used, as excessive turning of the needle will cause damage.

2. The valve cannot be used if there are load fluctuations.

The piston rod may jerk during operation.

In case a closed-center solenoid valve is used, switch to the center position only after pressure charge inside the cylinder at the stroke end is completed.

If the pressure charge is insufficient, the piston rod may jerk after restart.

 When the valve is used for an actuator operating vertically, the actuator may lurch depending on the load.

For the adjustment method, please refer to page 1153.


Operating

** ∴** Caution

① The valve cannot be used if the same pressure is required for both the working and return strokes.

The pressure valve and flow valve are designed to save air by the difference in the operating pressure.

② Install a flow valve on the working side which requires the cylinder output and a pressure valve on the return side. The cylinder may not operate if the valves are installed on the wrong sides.



③ If a closed-center, exhaust-center, pressure-center or perfect solenoid valve is used and the solenoid valve is set at the center position, the cylinder may move to the position where the pressure balance and load balance are achieved.