
Direct Operated 2 Port Solenoid Valve

VX21/22/23 Series



SMC

VX2

VXK

VXD

VXZ VXS

VXB

VXE

VXP

VXR


VXH

VXF

VX3

VXA

Direct Operated 2 Port Solenoid Valve



Full-wave rectifier type (AC specification: Insulation type Class B/H)

- Improved durability
 Service life is extended by the special construction.
 (compared with current shading coil)
- Reduced buzz noise
 Rectified to DC by the full-wave rectifier, resulting in a buzz noise reduction.
- Improved OFF response
 Specially constructed to improve the OFF response
 when operated with a higher viscosity fluid such as oil.
- Low-noise construction
 Specially constructed to reduce the metal noise during operation.

Variations

<Fluid>

| Model | Applicable fluid *1 | | | · | Can be used with heated water. |
|---|---------------------|-----------------|-------------|-----|--------------------------------|
| | Air | (Medium vacuum) | Water | Oil | Steam |
| For Air VX2 O Page 33 | | _ | _ | _ | _ |
| For Medium vacuum VX2 4 Page 38 | *2 | • | _ | _ | _ |
| For Water VX2 2 Page 42 | *2 | - | • | _ | _ |
| VX2 3 Page 44 | *2 | _ | • *2 | • | _ |
| For Steam Can be used with heated water. VX2 5 Page 46 | *2 | _ | *2 | *2 | • |



^{*1} For details, refer to pages 73 and 74. *2 Refer to the individual specifications for each fluid.


<Body Size>

| Model | Body | | Orifice diameter | | | | | Port size | |
|-------------------------------|--------|-------|------------------|-------|-------|-------|-------|--------------|--|
| Wiodei | size | 2 mmø | 3 mmø | 4 mmø | 5 mmø | 7 mmø | 8 mmø | 10 mmø Note) | Fort size |
| VX2 ₄ ¹ | Size 1 | • | • | _ | • | _ | _ | _ | 1/8, 1/4 One-touch fitting: ø6, ø8 |
| VX2 ₅ | Size 2 | _ | _ | • | _ | • | _ | _ | 1/4, 3/8 One-touch fitting: ø8, ø10 |
| VX2 ₆ ³ | Size 3 | _ | _ | _ | • | _ | • | • | 1/4, 3/8, 1/2 One-touch fitting: ø10, ø12 |

INDEX

Direct Operated 2 Port Solenoid Valve VX21/22/23 Series

VX2
VXK
VXD
VXZ
VXS
VXB
VXE
VXP
VXR
VXH
VXXA



| Single | Unit/Manifold: Specifications30 |
|---------|---|
| Comn | non Specifications31 |
| Selec | tion Steps32 |
| | For Air Model/Valve Specifications, Fluid and Ambient Temperature, Valve Leakage Rate 33, 34 How to Order (Single Unit) |
| | For Medium Vacuum (0.1 Pa-abs or more) |
| | Model/Valve Specifications, Fluid and Ambient Temperature, Valve Leakage Rate 38 How to Order (Single Unit) |
| | Blanking Plate Assembly Part No., How to Order Manifold Assembly (Example) 41 |
| | For Water |
| | $\label{thm:model-Valve} Model Valve Specifications, Fluid and Ambient Temperature, Valve Leakage Rate \dots 42 \\ How to Order (Single Unit) \dots 43$ |
| | For Oil Model/Valve Specifications, Fluid and Ambient Temperature, Valve Leakage Rate 44 How to Order (Single Unit) |
| (G) | For Steam * Can be used with heated water. |
| | Model/Valve Specifications, Fluid and Ambient Temperature, Valve Leakage Rate 46 How to Order (Single Unit) |
| Speci | al Options49 |
| • | mpliant52 |
| Const | ruction |
| | gle Unit54 |
| | nifold55 sions (Single Unit) Body material: Aluminum56 |
| Dilliel | Body material: Resin58 Body material: C37, Stainless steel60 |
| | (Manifold) Base material: Aluminum63 |
| Repla | cement Parts64 |
| | ary of Terms65 |
| | oid Valve Flow Rate Characteristics66 |
| Flow I | Rate Characteristics71 |
| Speci | fic Product Precautions73 |
| Ø | SMC 29 |

For Air, Medium Vacuum, Water, Oil and Steam

Variations

Single Unit (For Air, Medium Vacuum, Water, Oil and Steam)

■ Valve type

Normally Closed (N.C.) Normally Open (N.O.)

Solenoid coil type

Insulation type: Class B, Class H

Rated voltage

100 V/200 V/110 V/230 VAC (220 V/240 V/48 V/24 VAC) 24 VDC (12 VDC)

Voltage in () indicates special voltage.

■ Material

Body — Aluminum, Resin, C37 (Brass), Stainless steel Seal — NBR, FKM*

* Refer to individual pages for details of each fluid.

Electrical entry

- Grommet
- Conduit
- DIN terminal
- Conduit terminal
- Flat terminal



Normally Closed (N.C.) Normally Open (N.O.)

| Size | | Size 2 | Size 3 |
|-----------|---|----------|---------------------------|
| 2 mmø | • | - | _ |
| 3 mmø | • | _ | _ |
| 4 mmø | _ | • | _ |
| 5 mmø | • | _ | • |
| 7 mmø | _ | • | _ |
| 8 mmø | _ | _ | • |
| 10 mmø | _ | _ | •* |
| Port size | | 1/4, 3/8 | 1/4, 3/8, 1/2 ø10, ø12 |
| | 3 mmø 4 mmø 5 mmø 7 mmø 8 mmø | 3 mmø | 2 mmø |

^{*} N.C. only

Manifold (For Air, Medium Vacuum)

Valve type

Normally Closed (N.C.) Normally Open (N.O.)

■ Manifold type

Common SUP type Individual SUP type

Solenoid coil type

Insulation type: Class B

■ Rated voltage

100 V/200 V/110 V/230 VAC (220 V/240 V/48 V/24 VAC) 24 VDC (12 VDC)

Voltage in () indicates special voltage.

Material

Body — Resin Base — Aluminum Seal — NBR, FKM

■ Electrical entry

- Grommet
- Conduit
- DIN terminal
- Conduit terminal
- Flat terminal



Manifold

| Size | | Size 1 | Size 2 | Size 3 | |
|---|--|--------|----------|--------|---|
| Orifice diameter | | 2 mmø | • | | _ |
| | | 3 mmø | • | _ | _ |
| | | 4 mmø | _ | • | _ |
| | | 5 mmø | • | _ | • |
| | | 7 mmø | _ | • | • |
| Common SUP type (Air) Individual SUP type (Medium vacuum) | | IN | 3/8 | | |
| | | OUT | 1/8, 1/4 | | |
| | | IN | 1/8, 1/4 | | |
| | | OUT | 3/8 | | |
| | | | | | |

Common Specifications

Standard Specifications

| | Valve construction | | Direct operated poppet | |
|----------------|---------------------------------|----------|--|--|
| | Withstand pressure | | 2.0 MPa (Resin body type 1.5 MPa) | |
| Valve | Seal material Note 3) Enclosure | | Aluminum, Resin, C37 (Brass), Stainless steel | |
| specifications | | | NBR, FKM | |
| | | | Dust-tight, Water-jet-proof type (IP65) Note 1,4) | |
| | | | Location without the presence of corrosive gases, explosive gases, or constant fluid adhesion Note 4 | |
| | AC AC | | 100 VAC, 200 VAC, 110 VAC, 230 VAC, (220 VAC, 240 VAC, 48 VAC, 24 VAC) Note 2) | |
| | Rated voltage | DC | 24 VDC, (12 VDC) Note 2) | |
| Coil | Allowable voltage flu | ctuation | ±10% of rated voltage | |
| specifications | Allowable leakage | AC | 5% or less of rated voltage | |
| | voltage | DC | 2% or less of rated voltage | |
| | Coil insulation type | | Class B, Class H | |

Note 1) Electrical entry flat terminal type terminal is IP40.

Note 2) Voltage in () indicates special voltage. (Refer to page 49.)

Note 3) For seal material/EPDM, refer to X332. (Refer to page 51.) Note 4) For enclosure, refer to "Glossary of Terms" on page 65.

⚠Be sure to read "Specific Product Precautions" before handling.

Solenoid Coil Specifications

Normally Closed (N.C.) DC Specification

Class B

| Size | Power consumption (W) Note 1) | Temperature rise (°C) Note 2) |
|--------|-------------------------------|-------------------------------|
| Size 1 | 4.5 | 50 |
| Size 2 | 7 | 55 |
| Size 3 | 10.5 | 65 |

Class H

| Size | Power consumption (W) Note 1) | Temperature rise (°C) Note 2) |
|--------|-------------------------------|-------------------------------|
| Size 1 | 9 | 100 |
| Size 2 | 12 | 100 |
| Size 3 | 15 | 100 |

Note 1) Power consumption: The value at ambient temperature of 20°C and when the rated voltage is applied. (Variation: ±10%)

Note 2) The value at ambient temperature of 20°C and when the rated voltage is applied. The value depends on the ambient environment. This is for reference.

AC Specification (Built-in Full-wave Rectifier Type) Class B

| Size | Apparent power (VA) Note 1) 2) | Temperature rise (°C) Note 3) |
|--------|--------------------------------|-------------------------------|
| Size 1 | 7 | 60 |
| Size 2 | 9.5 | 70 |
| Size 3 | 12 | 70 |

Class H

| Size | Apparent power (VA) Note 1) 2) | Temperature rise (°C) Note 3) |
|--------|--------------------------------|-------------------------------|
| Size 1 | 9 | 100 |
| Size 2 | 12 | 100 |
| Size 3 | 15 | 100 |

Note 1) Apparent power: The value at ambient temperature of 20 $^{\circ}\text{C}$ and when the rated voltage is applied. (Variation: $\pm 10\%$)

Note 2) There is no difference in the frequency and the inrush and energized apparent power, since a rectifying circuit is used in the AC.

Note 3) The value at ambient temperature of 20°C and when the rated voltage is applied. The value depends on the ambient environment. This is for reference.

Normally Open (N.O.)

DC Specification

Class B

| Size | Power consumption (W) Note 1) | Temperature rise (°C) Note 2 |
|--------|-------------------------------|------------------------------|
| Size 1 | 7.5 | 60 |
| Size 2 | 8.5 | 70 |
| Size 3 | 12.5 | 70 |

Class H

| Size | Power consumption (W) Note 1) | Temperature rise (°C) Note 2) |
|--------|-------------------------------|-------------------------------|
| Size 1 | 9 | 100 |
| Size 2 | 12 | 100 |
| Size 3 | 15 | 100 |

Note 1) Power consumption: The value at ambient temperature of 20°C and when the rated voltage is applied. (Variation: ±10%)

Note 2) The value at ambient temperature of 20°C and when the rated voltage is applied. The value depends on the ambient environment. This is for reference.

AC Specification (Built-in Full-wave Rectifier Type) Class B

| Size | Apparent power (VA) Note 1) 2) | Temperature rise (°C) Note 3) |
|--------|--------------------------------|-------------------------------|
| Size 1 | 9 | 60 |
| Size 2 | 10 | 70 |
| Size 3 | 14 | 70 |

Class H

| Size | Apparent power (VA) Note 1) 2) | Temperature rise (°C) Note 3) |
|--------|--------------------------------|-------------------------------|
| Size 1 | 9 | 100 |
| Size 2 | 12 | 100 |
| Size 3 | 15 | 100 |

Note 1) Apparent power: The value at ambient temperature of 20°C and when the rated voltage is applied. (Variation: ±10%)

Note 2) There is no difference in the frequency and the inrush and energized apparent power, since a rectifying circuit is used in the AC.

Note 3) The value at ambient temperature of 20°C and when the rated voltage is applied. The value depends on the ambient environment. This is for reference.

VX2

VXR


VXH

VAII

VXF

VXA

Selection Steps





Model/Valve Specifications

N.C.



When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

Aluminum Body Type

| 0: | | Orifice diameter | | Flow rate characteristics Note 2) | | Maximum operating | Max. system pressure | Weight Note 3) | |
|------|-----------|------------------|-----------|-----------------------------------|------|-------------------|--|----------------|-----|
| Size | Port size | (mmø) Note 1) | Model | C [dm ³ /(s·bar)] | b | Cv | pressure differential (MPa) Note 4) | (MPa) Note 4) | (g) |
| | | 2 | | 0.63 | 0.63 | 0.23 | 1.0 | | 220 |
| 1 | 1/8, 1/4 | 3 | VX210 | 1.05 | 0.68 | 0.41 | 0.6 | | 220 |
| | | 5 | | 2.20 | 0.39 | 0.62 | 0.2 |] | 220 |
| 2 | 1/4, 3/8 | 4 | VX220 | 1.90 | 0.52 | 0.62 | 1.0 | | 340 |
| | 1/4, 3/8 | 7 | V X Z Z U | 3.99 | 0.44 | 1.08 | 0.15 | 1.0 | 340 |
| | | 5 | | 1.96 | 0.55 | 0.75 | 1.0 | | 450 |
| 3 | 1/4, 3/8 | 8 | VX230 | 5.67 | 0.33 | 1.58 | 0.3 | | 450 |
| ٠ | | 10 | VAZOU | 5.74 | 0.64 | 2.21 | 0.1 | | 450 |
| | 1/2 | 10 | | 8.42 | 0.39 | 2.21 | 0.1 | | 470 |

Resin Body Type (Built-in One-touch Fittings)

| neshi body Type (Built-in One-touch Fittings) | | | | | | | | | |
|---|-------------|------------------|------------------|------------------------------|-----------------------------------|------|--|----------------------|----------------|
| | Orifice of | Orifice diameter | Orifice diameter | | Flow rate characteristics Note 2) | | | Max. system pressure | Weight Note 3) |
| Size Port size | Port size | (mmø) Note 1) | Model | C [dm ³ /(s-bar)] | b | Cv | pressure differential (MPa) Note 4) | (MPa) Note 4) | (g) |
| | | 2 | | 0.82 | 0.44 | 0.23 | 1.0 | | 220 |
| | ø6 | 3 | | 1.25 | 0.34 | 0.35 | 0.6 | | 220 |
| - 1 | | 5 | 10/040 | 1.45 | 0.43 | 0.40 | 0.2 | | 220 |
| • | | 2 | VX210 | 0.82 | 0.44 | 0.23 | 1.0 | | 220 |
| | ø8 | 3 | | 1.81 | 0.40 | 0.41 | 0.6 | | 220 |
| | | 5 | | 2.11 | 0.32 | 0.56 | 0.2 | | 220 |
| | ø8 <u>4</u> | | 1.69 | 0.40 | 0.47 | 1.0 | | 340 | |
| 2 | 90 | 7 | 1///000 | 3.14 | 0.34 | 0.84 | 0.15 | 1.0 | 340 |
| | ø10 | 4 | VX220 | 1.68 | 0.49 | 0.50 | 1.0 |] 1.0 | 340 |
| | 010 | 7 | | 3.54 | 0.36 | 0.90 | 0.15 | | 340 |
| | | 5 | | 2.50 | 0.44 | 0.70 | 1.0 | | 460 |
| | ø10 | 8 | | 2.77 | 0.82 | 1.22 | 0.3 | | 460 |
| 3 | | 10 | | 5.69 | 0.46 | 1.54 | 0.1 |] [| 460 |
| | | 5 | VX230 | 2.50 | 0.44 | 0.70 | 1.0 | | 460 |
| | ø12 | 8 | | 2.56 | 0.88 | 1.38 | 0.3 |] | 460 |
| | | 10 | | 5.69 | 0.64 | 1.76 | 0.1 | 1 1 | 460 |

Note 1) The orifice size is just as a reference guide. Check the flow rate characteristics (conversion Cv).

Note 2) The flow rate characteristics of this product have variations.

When the highly precise flow control is required according to the system to be used, select an orifice diameter 1.3 times larger than that shown above and install a restrictor on the downstream side of the solenoid valve to make the adjustment.

Note 3) Weight of grommet type. Add 10 g for conduit type, 30 g for DIN terminal type, 60 g for conduit terminal type respectively.

Note 4) Refer to "Glossary of Terms" on page 65 for details on the maximum operating pressure differential and the maximum system pressure.

Fluid and Ambient Temperature

| Fluid temperature (°C) | Ambient temperature (°C) |
|------------------------|--------------------------|
| -10 Note) to 60 | -20 to 60 |

Note) Dew point temperature: -10°C or less

Valve Leakage Rate

Internal Leakage

| Seal material Note 2) | Leakage rate (Air) Note 1) | | |
|-----------------------|---|--|--|
| NBR (FKM) | 1 cm ³ /min or less (Aluminum body type) | | |
| INDIA (FRIVI) | 15 cm ³ /min or less (Resin body type) | | |

External Leakage

| External Loakage | | | | | | |
|-----------------------|---|--|--|--|--|--|
| Seal material Note 2) | Leakage rate (Air) Note 1) | | | | | |
| NBR (FKM) | 1 cm ³ /min or less (Aluminum body type) | | | | | |
| INDIT (FRIVI) | 15 cm ³ /min or less (Resin hody type) | | | | | |

Note 1) Leakage is the value at ambient temperature 20°C.

Note 2) For seal material/FKM, refer to "Other Options" on page 49 for the selection.

Note 3) The amount of leakage is the value at a differential pressure of 0.01 MPa or more, and a temperature of 20°C.

VX2 VXK

VXD

VXZ VXS VXB

VXE

VXP

VXH VXF VX3

VXA



Model/Valve Specifications









When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

Aluminum Body Type

| ċ | | Orifice diameter | Orifice diameter | | Flow rate characteristics Note 2) | | | Max. system pressure | Weight Note 3) |
|------------------------------|------------|------------------------------|------------------|------|--|---------------|------|----------------------|----------------|
| Size Port size (mmø) Note 1) | Model | C [dm ³ /(s·bar)] | b | Cv | pressure differential (MPa) Note 4) | (MPa) Note 4) | (g) | | |
| | | 2 | VX240 | 0.63 | 0.63 | 0.23 | 0.9 | | 240 |
| 1 | 1/8, 1/4 | 3 | | 1.05 | 0.68 | 0.41 | 0.45 | | 240 |
| | | 5 | | 2.20 | 0.39 | 0.62 | 0.2 | | 240 |
| 2 | 1/4. 3/8 | 4 | VX250 | 1.90 | 0.52 | 0.62 | 0.8 | 1.0 | 370 |
| | 2 1/4, 3/8 | 7 | V A 2 3 U | 3.99 | 0.44 | 1.08 | 0.15 | | 370 |
| 3 | 1/4 2/0 | 5 | VX260 | 1.96 | 0.55 | 0.75 | 0.8 | | 490 |
| 3 1/4, 3/8 8 VX2 | V A 200 | 5.67 | 0.33 | 1.58 | 0.3 | | 490 | | |

Resin Body Type (Built-in One-touch Fittings)

| 0: | Doub sine | Orifice diameter | ifice diameter Flow rate characteristics Note 2) | | Maximum operating | Max. system pressure | Weight Note 3) | | |
|------|--|------------------|--|------|-------------------|--|----------------|-------|-----|
| Size | Size Port size Office diameter (mmø) Note 1) | Model | C [dm ³ /(s·bar)] | b | Cv | pressure differential (MPa) Note 4) | (MPa) Note 4) | (g) | |
| | | 2 | | 0.82 | 0.44 | 0.23 | 0.9 | | 240 |
| | ø6 | 3 | | 1.25 | 0.34 | 0.35 | 0.45 | | 240 |
| | | 5 | VX240 | 1.45 | 0.43 | 0.40 | 0.2 | | 240 |
| ' | | 2 | V A 240 | 0.82 | 0.44 | 0.23 | 0.9 | | 240 |
| | ø8 | 3 | | 1.81 | 0.40 | 0.41 | 0.45 | | 240 |
| | 5 | | 2.11 | 0.32 | 0.56 | 0.2 | | 240 | |
| | 0 | 4 | | 1.69 | 0.40 | 0.47 | 0.8 | 1.0 | 370 |
| 2 | ø8 | 7 | VX250 | 3.14 | 0.34 | 0.84 | 0.15 |] 1.0 | 370 |
| | ø10 | 4 | V X 2 5 U | 1.68 | 0.49 | 0.50 | 0.8 | | 370 |
| | 010 | 7 | | 3.54 | 0.36 | 0.90 | 0.15 | | 370 |
| | ~10 | 5 | | 2.50 | 0.44 | 0.70 | 0.8 | | 500 |
| _ | ø10 | 8 | VX260 | 2.77 | 0.82 | 1.22 | 0.3 | | 500 |
| 3 | ~10 | 5 | V A 200 | 2.50 | 0.42 | 0.70 | 0.8 | | 500 |
| | ø12 | 8 | | 2.56 | 0.88 | 1.38 | 0.3 | | 500 |

Note 1) The orifice size is just as a reference guide. Check the flow rate characteristics (conversion Cv).

Note 2) The flow rate characteristics of this product have variations.

When the highly precise flow control is required according to the system to be used, select an orifice diameter 1.3 times larger than that shown above and install a restrictor on the downstream side of the solenoid valve to make the adjustment.

Note 3) Weight of grommet type. Add 10 g for conduit type, 30 g for DIN terminal type, 60 g for conduit terminal type respectively.

Note 4) Refer to "Glossary of Terms" on page 65 for details on the maximum operating pressure differential and the maximum system pressure.

Fluid and Ambient Temperature

| Fluid temperature (°C) | Ambient temperature (°C) |
|------------------------|--------------------------|
| -10 Note) to 60 | -20 to 60 |

Note) Dew point temperature: -10°C or less

Valve Leakage Rate

Internal Leakage

| Seal material Note 2) | Leakage rate (Air) Note 1) |
|-----------------------|---|
| NBR (FKM) | 1 cm ³ /min or less (Aluminum body type) |
| NDN (FRW) | 15 cm ³ /min or less (Resin body type) |

External Leakage

| Seal material Note 2) | Leakage rate (Air) Note 1) |
|-----------------------|---|
| NBR (FKM) | 1 cm ³ /min or less (Aluminum body type) |
| NDN (FRW) | 15 cm ³ /min or less (Resin body type) |

Note 1) Leakage is the value at ambient temperature 20°C. Note 2) For seal material/FKM, refer to "Other Options" on page 49 for the

selection

Note 3) The amount of leakage is the value at a differential pressure of 0.01 MPa or more, and a temperature of 20°C.





0

How to Order (Single Unit)



VX2

VXK

VXD

VXZ

VXS

VXB VXE VXP VXR VXH VXF VX3 VXA

VX2 1 0 A A Fluid

Air

Common Specifications

| Seal material | NBR |
|----------------------|---------|
| Coil insulation type | Class B |
| Thread type | Rc* |

* One-touch fittings are attached to the resin body type.

Coil size/Valve type

Symbol Valve type 1 N.C. Size 1 4 N.O.

| | Body material/Port size/Orifice diameter | | | | | |
|-----|--|------------------|--------------|------------------|--|--|
| | Symbol | Body material | Port size | Orifice diameter | | |
| - 1 | Α | | | 2 | | |
| | В | | 1/8 | 3 | | |
| | С | Aluminum | | 5 | | |
| | D | Aluminum | 1/4 | 2 | | |
| | E | | | 3 | | |
| | F | | | 5 | | |
| | Н | | | 2 | | |
| | J | | ø6 | 3 | | |
| | K L | Resin | | 5 | | |
| | | (With bracket) | | 2 | | |
| ĺ, | М | M | | 3 | | |
| ì | N | | | 5 | | |

| Size 2 | 2 | N.C. |
|--------|---|------|
| 3128 2 | 5 | N.O. |
| | | |

| Sizo 2 | 3 | N.C. |
|--------|---|------|
| Size 3 | 6 | N.O. |

| Α | - Aluminum - | 1/4 | 4 |
|---|-------------------------|-----|---|
| В | | 1/4 | 7 |
| D | | 3/8 | 4 |
| E | | | 7 |
| Н | Resin (With bracket) | ø8 | 4 |
| J | | | 7 |
| L | | ø10 | 4 |
| | | | _ |

| В | | 1/4 | 8 | |
|---|----------------|-----|----------------|--|
| С | | | 10 (N.C. only) | |
| D | Aluminum | | 5 | |
| E | | 3/8 | 8 | |
| F | | | 10 (N.C. only) | |
| G | | 1/2 | 10 (N.C. only) | |
| Н | | ø10 | 5 | |
| J | | | 8 | |
| K | Resin | | 10 (N.C. only) | |
| L | (With bracket) | | 5 | |
| M | | ø12 | 8 | |
| N | 1 | | 10 (N.C. only) | |

♦ Voltage/Electrical entry

| Symbol | Voltage | El | ectrical entry | | |
|--------|---------|---------------------------------|----------------|--|--|
| A | 24 VDC | Grommet | | | |
| В | 100 VAC | Grommet | • | | |
| С | 110 VAC | /With surge \ voltage | | | |
| D | 200 VAC | \suppressor/ | | | |
| E | 230 VAC |] | | | |
| F | 24 VDC | 1 | | | |
| G | 24 VDC | With surge voltage suppressor/ | | | |
| Н | 100 VAC | | | | |
| J | 110 VAC | | | | |
| K | 200 VAC | | | | |
| L | 230 VAC | | | | |
| М | 24 VDC | Conduit termin | nal | | |
| N | 100 VAC | / With surge \ voltage | | | |
| Р | 110 VAC | \suppressor/ | | | |
| Q | 200 VAC | | | | |
| R | 230 VAC | | | | |
| S | 24 VDC | Conduit | | | |
| Т | 100 VAC | (With surge voltage suppressor) | | | |
| U | 110 VAC | | | | |
| ٧ | 200 VAC |] | | | |
| w | 230 VAC | | V | | |
| | | Flat terminal | | | |

Υ

z

24 VDC


| For special options, refer to pages 49 to 51. | | | | |
|---|---------|--|--|--|
| Special voltage | 24 VAC | | | |
| | 48 VAC | | | |
| | 220 VAC | | | |
| | 240 VAC | | | |
| | 12 VDC | | | |
| DIN terminal with light | | | | |
| Conduit terminal with light | | | | |
| Without DIN connector | | | | |

| Low concentration ozone resistant (Seal material: FKM) | |
|---|----|
| Seal material: EPDM | |
| Oil-free | |
| G thread | |
| NPT thread | |
| With bracket (Aluminum body only) | |
| Mounting holes on the bottom side of the bod (Aluminum body only) | ly |
| Special electrical entry direction | |


Other voltages



Model/Valve Specifications







When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

Normally Closed (N.C.)

| ο: | Orifice diameter | | Flow rate characteristics Note 2) | | | Maximum operating | Max system pressure |
|------|------------------|-------|-----------------------------------|------|------|--|---------------------------------------|
| Size | (mmø) Note 1) | Model | C [dm ³ /(s·bar)] | b | Cv | pressure differential (MPa) Note 3) | Max. system pressure (MPa) Note 3) |
| | 2 | VX2A0 | 0.63 | 0.63 | 0.23 | 1.0 | |
| 1 | 3 | | 1.05 | 0.68 | 0.41 | 0.6 | |
| | 5 | | 2.20 | 0.39 | 0.62 | 0.2 | |
| 2 | 4 | VX2B0 | 1.90 | 0.52 | 0.62 | 1.0 | 1.0 |
| | 7 | | 3.99 | 0.44 | 1.08 | 0.15 | |
| 3 | 5 | VX2C0 | 1.96 | 0.55 | 0.75 | 1.0 | |
| 3 | 7 | VAZCU | 3.99 | 0.44 | 1.08 | 0.3 | |

Normally Open (N.O.)

| 0: | Orifice diameter | | Flow rate characteristics Note 2) | | | Maximum operating | Max. system pressure | |
|------|------------------|---------------|-----------------------------------|------------------------------|------|-------------------|--|---------------|
| Size | Size | (mmø) Note 1) | Model | C [dm ³ /(s·bar)] | b | Cv | pressure differential (MPa) Note 3) | (MPa) Note 3) |
| | 2 | VX2D0 | 0.63 | 0.63 | 0.23 | 0.9 | | |
| 1 | 3 | | 1.05 | 0.68 | 0.41 | 0.45 | | |
| | 5 | | 2.20 | 0.39 | 0.62 | 0.2 | | |
| | 4 | VX2E0 | 1.90 | 0.52 | 0.62 | 0.8 | 1.0 | |
| 2 | 7 | VAZEU | 3.99 | 0.44 | 1.08 | 0.15 | 1.0 | |
| | 5 | VX2F0 | 1.96 | 0.55 | 0.75 | 0.8 | | |
| 3 | 7 | VAZFU | 3.99 | 0.44 | 1.08 | 0.3 | | |

Note 1) The orifice size is just as a reference guide. Check the flow rate characteristics (conversion Cv).

Note 2) The flow rate characteristics of this product have variations.

When the highly precise flow control is required according to the system to be used, select an orifice diameter 1.3 times larger than that shown above and install a restrictor on the downstream side of the solenoid valve to make the adjustment.

Note 3) Refer to "Glossary of Terms" on page 65 for details on the maximum operating pressure differential and the maximum system pressure.

Fluid and Ambient Temperature

| Fluid temperature (°C) | Ambient temperature (°C) |
|------------------------|--------------------------|
| -10 Note) to 60 | -20 to 60 |

Note) Dew point temperature: -10°C or less

Valve Leakage Rate

| internal Leakage | | | | | | |
|-----------------------|--------------------------------|--|--|--|--|--|
| Seal material Note 2) | Leakage rate Note 1) | | | | | |
| NBR (FKM) | 1 cm ³ /min or less | | | | | |

External Leakage

| ſ | Seal material Note 2) | Leakage rate Note 1) |
|---|-----------------------|--------------------------------|
| Γ | NBR (FKM) | 1 cm ³ /min or less |

Note 1) Leakage is the value at ambient temperature 20°C. Note 2) For seal material/FKM, refer to "Other Options" on page 49 for the selection.

Note 3) The amount of leakage is the value at a differential pressure of 0.01 MPa or more, and a temperature of 20°C.





Common Specifications Seal material

Coil insulation type Class B

NBR

VX2

VXK

VXD VXZ VXS

VXB VXE

VXP


VXR

VXH

VXF VX3 VXA

How to Order (Solenoid Valve for Manifold)





| Coil size | e/Valv | e type | | Body Body | / material/0 | Orifice diameter |
|-----------|--------|------------|-----|--|------------------|------------------|
| Size | Symbol | Valve type | | Symbol | Body material | Orifice diameter |
| Size 1 | Α | N.C. | | Α | | 2 |
| Size i | D | N.O. | | В | Resin | 3 |
| | | | ``` | С | | 5 |
| | | | | | | |

| | E | N.O. | L | В | | / |
|--------|---|------|---|---|-------|---|
| | | | | | | |
| Size 3 | С | N.C. | J | Α | Pooin | 5 |
| Size 3 | | NO | 1 | _ | nesin | 7 |

For special options, refer to pages 49 to 51.

В


Size 2

| | 24 VAC | | |
|---|---------|--|--|
| Special voltage | 48 VAC | | |
| | 220 VAC | | |
| | 240 VAC | | |
| | 12 VDC | | |
| DIN terminal with ligh | nt | | |
| Conduit terminal with light | | | |
| Without DIN connector | | | |
| Seal material: EPDM | | | |
| Low concentration ozone resistant (Seal material: FKM | | | |
| Oil-free | | | |
| Special electrical entry direction | | | |

Mounting orientation exists when mounting valves onto manifold base. Refer to page 76 for details

| Symbol | Voltage | Electrical entry | | | |
|--------|---------|-----------------------|---|--|--|
| A | 24 VDC | Grommet | | | |
| В | 100 VAC | Grommet | • | | |
| С | 110 VAC | (With surge) | | | |
| D | 200 VAC | suppressor | | | |
| E | 230 VAC | | | | |
| F | 24 VDC | | | | |
| G | 24 VDC | DIN terminal | • | | |
| Н | 100 VAC | (With surge) | | | |
| J | 110 VAC | suppressor/ | | | |
| K | 200 VAC | | | | |
| L | 230 VAC | | | | |
| M | 24 VDC | Conduit terminal | | | |
| N | 100 VAC | (With surge) | | | |
| P | 110 VAC | \suppressor | | | |
| Q | 200 VAC | | | | |
| R | 230 VAC | | | | |
| S | 24 VDC | Conduit | • | | |
| T | 100 VAC | /With surge \ voltage | | | |
| U | 110 VAC | suppressor/ | | | |
| ٧ | 200 VAC | | | | |
| W | 230 VAC | | | | |
| Y | 24 VDC | Flat terminal | | | |
| Z | | Other voltages | | | |
| | | | | | |

Manifold Base/How to Order



Blanking Plate Assembly Part No.

N

FKM




assembly, if the solenoid valve for Seal material the manifold is ozone resistant, (Seal material: FKM), please select FKM.

Dimensions → Page 63

How to Order Manifold Assembly (Example)

Enter the valve and blanking plate to be mounted under the manifold base part number.




Enter the product's part number in order, counting the 1st station from the D side (left in the manifold arrangement, when viewing the individual port in front).



For Medium Vacuum (0.1 Pa-abs or more) Single Unit


* This valve can also be used with air. (Refer to the valve specifications for air.)

Model/Valve Specifications



When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

Symbol (Application example)



When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

Normally Closed (N.C.)

| 0: | | Orifice diameter (mmø) Note 1) Model | | Flow rate characteristics Note 2) | | Operating pressure range | | Max. system | Note 3) Weight | |
|------|-----------|--------------------------------------|-----------|-----------------------------------|------|--------------------------|------------------------------|------------------------------|-------------------|-----|
| Size | Port size | | Model | C [dm ³ /(s·bar)] | b | Cv | 1) Used with vacuum (Pa-abs) | ② Used with pressure (MPa·G) | pressure (MPa) | (g) |
| | | 2 | | 0.63 | 0.63 | 0.23 | | 0 to 1.0 | 1.0 | 300 |
| 1 | 1/8, 1/4 | 3 | VX214 | 1.05 | 0.68 | 0.41 | | 0 to 0.6 | | 300 |
| | | 5 | | 2.20 | 0.39 | 0.62 | 0.1 to atmospheric pressure | 0 to 0.2 | | 300 |
| 2 | 1/4, 3/8 | 4 | VX224 | 1.90 | 0.52 | 0.62 | | 0 to 1.0 | | 460 |
| | 1/4, 3/6 | 7 | | 3.99 | 0.44 | 1.08 | | 0 to 0.15 | | 460 |
| | | 5 | VX234 | 1.96 | 0.55 | 0.75 | | 0 to 1.0 | | 580 |
| 3 | 1/4, 3/8 | 8 | | 5.67 | 0.33 | 1.58 | | 0 to 0.3 | | 580 |
| 3 | | 10 | V A 2 3 4 | 5.74 | 0.64 | 2.21 | | 0 to 0.1 | | 580 |
| | 1/2 | 10 | | 8.42 | 0.39 | 2.21 | | 0 to 0.1 | | 630 |

Normally Open (N.O.)

| 0: | Port size | Orifice diameter (mmø) Note 1) Mor | Model | Flow rate characteristics Note 2) | | Operating pressure range | | Max. system | Note 3) Weight | |
|------|------------|------------------------------------|---------|-----------------------------------|------|--------------------------|-----------------------------|------------------------------|-------------------|-----|
| Size | | | | C [dm ³ /(s-bar)] | b | Cv | ① Used with vacuum (Pa-abs) | ② Used with pressure (MPa·G) | pressure (MPa) | (g) |
| | | 2 | | 0.63 | 0.63 | 0.23 | | 0 to 0.9 | | 320 |
| 1 | 1/8, 1/4 | 3 | VX244 | 1.05 | 0.68 | 0.41 | 0.1 to atmospheric pressure | 0 to 0.45 | 1.0 | 320 |
| | | 5 | | 2.20 | 0.39 | 0.62 | | 0 to 0.2 | | 320 |
| 9 | 2 1/4, 3/8 | 4 | VX254 | 1.90 | 0.52 | 0.62 | | 0 to 0.8 | | 490 |
| | | 7 | | 3.99 | 0.44 | 1.08 | | 0 to 0.15 | | 490 |
| 3 | 1/4. 3/8 | 5 | VX264 | 1.96 | 0.55 | 0.75 | | 0 to 0.8 | | 620 |
| | 1/4, 3/6 | 8 | V A 204 | 5.67 | 0.33 | 1.58 | | 0 to 0.3 | | 620 |

Note 1) The orifice size is just as a reference guide. Check the flow rate characteristics (conversion Cv).

Note 2) The flow rate characteristics of this product have variations.

When the highly precise flow control is required according to the system to be used, select an orifice diameter 1.3 times larger than that shown above and install a restrictor on the downstream side of the solenoid valve to make the adjustment.

Note 3) Weight of grommet type. Add 10 g for conduit type, 30 g for DIN terminal type, 60 g for conduit terminal type respectively.

Fluid and Ambient Temperature

| Fluid temperature (°C) | Ambient temperature (°C) |
|------------------------|--------------------------|
| 1 to 60 Note) | -20 to 60 |

Note) With no freezing

Valve Leakage Rate


| Internal Leakage | |
|------------------|------------------------------------|
| Seal material | Leakage rate Note) |
| FKM | 10 ⁻⁶ Pa⋅m³/sec or less |

External Leakage

| kternar Leakage | | | |
|-----------------|------------------------------------|--|--|
| Seal material | Leakage rate Note) | | |
| FKM | 10 ⁻⁶ Pa⋅m³/sec or less | | |

Note) Leakage ($10^{-6} \ Pa\cdot m^3/sec$) is the value at differential pressure 0.1 MPa and ambient temperature $20^{\circ}C$.





How to Order (Single Unit)







VX2 VXK VXD VXZ VXS VXB VXE VXP VXR VXH VXF VX3 VXA

| | VX2 1 4 A A |
|-----------------|--|
| | Fluid • 4 Medium vacuum |
| cize/Volve type | Pody meterial/Port size/Orifice diameter |

| (| Common Specific | ation |
|---|----------------------|---------|
| Γ | Seal material | FKM |
| Γ | Coil insulation type | Class F |
| | Thread type | Rc |
| | Oil-free | |
| Г | Non look | |

24 VDC

z

| Symbol | Voltage | Electrical entry | | |
|--------|---------|---------------------|--|--|
| A | 24 VDC | Grommet | | |
| В | 100 VAC | Grommet | | |
| С | 110 VAC | /With surge voltage | | |
| D | 200 VAC | \suppressor/ | | |
| E | 230 VAC | | | |
| F | 24 VDC | | | |
| G | 24 VDC | DIN terminal | | |
| Н | 100 VAC | /With surge voltage | | |
| J | 110 VAC | \suppressor/ | | |
| K | 200 VAC | | | |
| L | 230 VAC | | | |
| М | 24 VDC | Conduit terminal | | |
| N | 100 VAC | /With surge voltage | | |
| Р | 110 VAC | \suppressor/ | | |
| Q | 200 VAC | | | |
| R | 230 VAC | | | |
| S | 24 VDC | Conduit | | |
| T | 100 VAC | /With surge voltage | | |
| U | 110 VAC | \suppressor \ | | |
| ٧ | 200 VAC | | | |
| W | 230 VAC | | | |
| | | Flat terminal | | |

| Coil size/Valve type | | | | ◆ Body material/Port size/Orifice dia | | | |
|----------------------|--------|------------|----------|---------------------------------------|--------------------|-----------|------------------|
| Size | Symbol | Valve type | | Symbol | Body material | Port size | Orifice diameter |
| | 1 | N.C. | | Α | | | 2 |
| Size 1 | | IV.O. | В | | 1/8 | 3 | |
| 5126 1 | 4 | N.O. | | С | C37 | | 5 |
| | _ | 14.0. | | D | 037 | | 2 |
| | | | \ | E | | 1/4 | 3 |
| | | | 1 | F | | | 5 |
| | | | \ | Н | | | 2 |
| | | | 1 | J | | 1/8 | 3 |
| | | | \ | K | Stainless | | 5 |
| | | | | L | steel | | 2 |
| | | | - / | М | | 1/4 | 3 |
| | | | , | N | | | 5 |
| | | N.O. | T | Α | | | 4 |
| Size 2 | 2 | N.C. | | В | C37 | 1/4 | 7 |
| Size z | 5 | N.O. | | D | C37 | 3/8 | 4 |
| | J . | 14.0. | | E | | | 7 |
| | | | <i>`</i> | Н | | 1/4 | 4 |
| | | | Λ. | J | Stainless | 1/- | 7 |
| | | | | L | steel | 3/8 | 4 |
| | | | , | , M | | 0/0 | 7 |
| | _ | | Γ | Α | | | 5 |
| Size 3 | 3 | N.C. | | В | | 1/4 | 8 |
| Size 3 | 6 | N.O. | | С | | | 10 (N.C. only) |
| | | IN.O. | | D | C37 | | 5 |
| | | | ì | E | | 3/8 | 8 |
| | | | Ì | F | | | 10 (N.C. only) |
| | | | 1 | G | | 1/2 | 10 (N.C. only) |
| | | | 1 | Н | | | 5 |
| | | | \ | J | | 1/4 | 8 |
| | | | 1 | K | 04-1-1 | | 10 (N.C. only) |
| | | | Ţ | L | Stainless steel | | 5 |
| | | | \ | М | | 3/8 | 8 |
| | | | / | N | | | 10 (N.C. only) |
| | | | 1 | Р | | 1/2 | 10 (N.C. only) |
| | | | | | | | |

| ror special options, refer to pages 49 to 51. | | | | | |
|---|---------|--|--|--|--|
| Special voltage | 24 VAC | | | | |
| | 48 VAC | | | | |
| | 220 VAC | | | | |
| | 240 VAC | | | | |
| | 12 VDC | | | | |
| DIN terminal with light | | | | | |
| Conduit terminal with light | | | | | |
| | | | | | |

| Without DIN connector |
|---|
| Seal material: EPDM |
| G thread |
| NPT thread |
| With bracket |
| Mounting holes on the bottom side of the body |
| Special electrical entry direction |


Other voltages

Dimensions→ Pages 60, 61 (Single unit)



For Medium Vacuum (0.1 Pa-abs or more) Manifold


Model/Valve Specifications





N.O.

Symbol



When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

Normally Closed (N.C.)

| Normany Closed (N.C.) | | | | | | | |
|-----------------------|-----------------------------------|-------|-----------------------------------|------|------|--|----------------------|
| Size | Orifice diameter (mmø) Note 1) | | Flow rate characteristics Note 2) | | | Maximum operating | Max. system pressure |
| Size | | | C [dm ³ /(s·bar)] | b | Cv | pressure differential (MPa) Note 3) | (MPa) Note 3) |
| | 2 | | 0.63 | 0.63 | 0.23 | 1.0 | |
| 1 | 3 | VX2A4 | 1.05 | 0.68 | 0.41 | 0.6 | |
| | 5 | | 2.20 | 0.39 | 0.62 | 0.2 | |
| 2 | 4 | VX2B4 | 1.90 | 0.52 | 0.62 | 1.0 | 1.0 |
| | 7 | VA2D4 | 3.99 | 0.44 | 1.08 | 0.15 | |
| 3 | 5 | VX2C4 | 1.96 | 0.55 | 0.75 | 1.0 | |
| 3 | 7 | VA204 | 3.99 | 0.44 | 1.08 | 0.3 | |

Normally Open (N.O.)

| Size | Orifice diameter | Model | Flow | rate characteristics 1 | Maximum operating | Max. system pressure | |
|------|------------------|-------|------------------------------|------------------------|-------------------|--|---------------|
| Size | (mmø) Note 1) | | C [dm ³ /(s·bar)] | b | Cv | pressure differential (MPa) Note 3) | (MPa) Note 3) |
| | 2 | | 0.63 | 0.63 | 0.23 | 0.9 | |
| 1 | 3 | VX2D4 | 1.05 | 0.68 | 0.41 | 0.45 | |
| | 5 | | 2.20 | 0.39 | 0.62 | 0.2 | |
| 2 | 4 | VX2E4 | 1.90 | 0.52 | 0.62 | 0.8 | 1.0 |
| | 7 | | 3.99 | 0.44 | 1.08 | 0.15 | |
| 3 | 5 | VX2F4 | 1.96 | 0.55 | 0.75 | 0.8 | |
| | 7 | VA2F4 | 3.99 | 0.44 | 1.08 | 0.3 | |

Note 1) The orifice size is just as a reference guide. Check the flow rate characteristics (conversion Cv).

Note 2) The flow rate characteristics of this product have variations.

When the highly precise flow control is required according to the system to be used, select an orifice diameter 1.3 times larger than that shown above and install a restrictor on the downstream side of the solenoid valve to make the adjustment.

Note 3) Refer to "Glossary of Terms" on page 65 for details on the maximum operating pressure differential and the maximum system pressure.

Fluid and Ambient Temperature

| Fluid temperature (°C) | Ambient temperature (°C) | | |
|------------------------|--------------------------|--|--|
| 1 to 60 Note) | -20 to 60 | | |

Note) With no freezing


Valve Leakage Rate

| Internal Leakage | | | | |
|------------------|------------------------------------|--|--|--|
| Seal material | Leakage rate Note) | | | |
| FKM | 10 ⁻⁶ Pa⋅m³/sec or less | | | |
| | • | | | |

| External Leakage | | | | |
|------------------|------------------------------------|--|--|--|
| Seal material | Leakage rate Note) | | | |
| FKM | 10 ⁻⁶ Pa⋅m³/sec or less | | | |

Note) Leakage (10⁻⁶ Pa·m³/sec) is the value at 0.1 Pa·abs and ambient temperature 20°C.





How to Order (Solenoid Valve for Manifold)







VX2

VXK

VXD VXZ VXS

VXB VXE

VXP VXR

VXH

VXF

VX3 VXA



 Coil size/Valve type ◆ Body material/Orifice diameter

N.C

NΩ

| Size | Symbol | Valve type | | Symbol | Body material | Orifice diameter |
|--------|--------|------------|-------|--------|------------------|---------------------|
| Size 1 | Α | N.C. | | Α | | 2 |
| Size i | D | N.O. | | В | Resin | 3 |
| | | | ***** | С | | 5 |
| | | | | | | |

| 0.20 | E | N.O. | L | В | 1100111 | 7 |
|--------|---|------|---|---|---------|---|
| | | | | | | |
| Cime 0 | С | N.C. | | Α | Danin | 5 |

В

| For special options, | |
|-------------------------|--|
| refer to negge 40 to E1 | |

| Total to pages 40 to 01. | | | | | |
|------------------------------------|----------|--|--|--|--|
| | 24 VAC | | | | |
| | 48 VAC | | | | |
| Special voltage | 220 VAC | | | | |
| | 240 VAC | | | | |
| | 12 VDC | | | | |
| DIN terminal with light | ght | | | | |
| Conduit terminal wi | th light | | | | |
| Without DIN conne | ctor | | | | |
| Seal material: EPDM | | | | | |
| Special electrical entry direction | | | | | |

. Caution

Mounting orientation exists when mounting valves onto manifold base. Refer to page 76 for details.


Common Specifications

| Seal material | FKM |
|----------------------|---------|
| Coil insulation type | Class B |
| Oil-free | |
| Non look | |

Voltage/Electrical entry

| Symbol | Voltage | Electrical entry | | | |
|-------------|---------|------------------|----------|--|--|
| A | 24 VDC | Grommet | | | |
| В | 100 VAC | Grommet | ••• | | |
| С | 110 VAC | /With surge \ | | | |
| D | 200 VAC | voltage | | | |
| Е | 230 VAC | \suppressor/ | | | |
| F | 24 VDC | | | | |
| G | 24 VDC | DIN terminal | • | | |
| H J K | 100 VAC | /With surge \ | | | |
| | 110 VAC | voltage | | | |
| | 200 VAC | \suppressor/ | | | |
| L | 230 VAC | | | | |
| M | 24 VDC | Conduit terminal | • | | |
| N | 100 VAC | /With surge \ | | | |
| Р | 110 VAC | voltage | | | |
| Q | 200 VAC | \suppressor/ | | | |
| R | 230 VAC | | | | |
| S | 24 VDC | Conduit | 6 | | |
| Т | 100 VAC | /With surge \ | | | |
| U | 110 VAC | voltage | | | |
| ٧ | 200 VAC | \suppressor/ | | | |
| W | 230 VAC | | | | |
| | | Flat terminal | | | |

Manifold Base/How to Order



Blanking Plate Assembly Part No.

For size 1 VVX021S - 4A-F

For size 2 VVX022S - 4A-F

For size 3 VVX023S - 4A-F

Dimensions → Page 63


How to Order Manifold Assembly (Example)

Other voltages


24 VDC

z

Enter the valve and blanking plate to be mounted under the manifold base part number.



Enter the product's part number in order, counting the 1st station from the D side (left in the manifold arrangement, when viewing the individual port in front).



* This valve can also be used with air. (Refer to the valve specifications for air.)

Mhen water is used as the fluid


Use clear water equivalent to tap water. (When using underground water, if the water is to be treated, be sure to check the disinfectant or corrosion treatment's compatibility with the product before use.) Corrosive fluids or seawater cannot be used.

Model/Valve Specifications



When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

Symbol





When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

Normally Closed (N.C.)

| Size | Don't since | Orifice diameter | | Flow rate chara | Flow rate characteristics Note 2) | | Max. system pressure | Weight Note 3) |
|------------|--|------------------|-----------|-----------------|-----------------------------------|--|----------------------|----------------|
| Size | Port size | (mmø) Note 1) | Model | Kv | Conversion Cv | pressure differential (MPa) Note 4) | (MPa) Note 4) | (g) |
| | | 2 | | 0.20 | 0.23 | 1 | | 300 |
| 1 1/8, 1/4 | 3 | VX212 | 0.36 | 0.42 | 0.6 | . [| 300 | |
| | | 5 | | 0.54 | 0.63 | 0.2 | | 300 |
| - | 2 1/4, 3/8 4 VX222 3 1/4, 3/8 8 0 VX232 | WYDDD | 0.54 | 0.63 | 1 | | 460 | |
| | | 7 | VAZZZ | 0.93 | 1.08 | 0.15 | 1.0 | 460 |
| | | | 0.64 | 0.75 | 1 | | 580 | |
| | | 8 | WYDDD | 1.36 | 1.58 | 0.3 | | 580 |
| 3 | | 10 | V A 2 3 2 | 1.89 | 2.21 | 0.1 |] [| 580 |
| | 1/2 | 10 | | 1.89 | 2.21 | 0.1 | | 630 |

Normally Open (N.O.)

| 0: | | Orifice diameter | | Flow rate chara | Flow rate characteristics Note 2) Maximum ope | Maximum operating | Max. system pressure | Weight Note 3) |
|------|--------------------|---------------------|-----------|-----------------|---|--|----------------------|----------------|
| Size | ize Port size (mmø | | Model | Kv | Conversion Cv | pressure differential (MPa) Note 4) | (MPa) Note 4) | (g) |
| | | 2 | | 0.20 | 0.23 | 0.9 | | 320 |
| 1 | 1 1/8, 1/4 3 5 | 1/8, 1/4 3 V | VX242 | 0.36 | 0.42 | 0.45 | | 320 |
| | | 5 | | 0.54 | 0.63 | 0.2 | 1.0 | 320 |
| 2 | 1/4, 3/8 | 4 | VX252 | 0.54 | 0.63 | 0.8 | | 490 |
| 2 | 1/4, 3/6 | 7 | V A 2 5 2 | 0.93 | 1.08 | 0.15 | | 490 |
| 3 | 1/4, 3/8 | 5 | VX262 | 0.64 | 0.75 | 0.8 | | 620 |
| | 1/4, 3/6 | 8 | V A 2 0 2 | 1.36 | 1.58 | 0.3 | | 620 |

Note 1) The orifice size is just as a reference guide. Check the flow rate characteristics (conversion Cv).

Note 2) The flow rate characteristics of this product have variations.

When the highly precise flow control is required according to the system to be used, select an orifice diameter 1.3 times larger than that shown above and install a restrictor on the downstream side of the solenoid valve to make the adjustment.

Note 3) Weight of grommet type. Add 10 g for conduit type, 30 g for DIN terminal type, 60 g for conduit terminal type respectively.

Note 4) Refer to "Glossary of Terms" on page 65 for details on the maximum operating pressure differential and the maximum system pressure.

Fluid and Ambient Temperature

| Fluid temperature (°C) | Ambient temperature (°C) |
|------------------------|--------------------------|
| 1 to 60 Note) | -20 to 60 |
| 1 10 00 | 20 10 00 |

Note) With no freezing

Valve Leakage Rate

Internal Leakage


| Seal material Note 2) | Leakage rate (Water) Note 1) |
|-----------------------|----------------------------------|
| NBR (FKM) | 0.1 cm ³ /min or less |

External Leakage

| Seal material Note 2) | Leakage rate (Water) Note 1) |
|-----------------------|----------------------------------|
| NBR (FKM) | 0.1 cm ³ /min or less |

Note 1) Leakage is the value at ambient temperature 20°C.

Note 2) For seal material/FKM, refer to "Other Options" on page 49 for the selection.



How to Order (Single Unit)





VX2

VXK

VXD VXZ VXS VXB VXE VXP VXR VXH VXF VX3 VXA

VX2

Common Specifications Seal material NBR Coil insulation type Class B 2 Water Thread type Rc

Voltage/Electrical entry

| Symbol | Voltage | Electrical entry |
|--------|---------|---------------------------|
| A | 24 VDC | Grommet |
| В | 100 VAC | Grommet |
| С | 110 VAC | /With surge voltage |
| D | 200 VAC | suppressor |
| E | 230 VAC | |
| F | 24 VDC | |
| G | 24 VDC | DIN terminal |
| Н | 100 VAC | With surge voltage |
| J | 110 VAC | suppressor |
| K | 200 VAC | |
| L | 230 VAC | |
| М | 24 VDC | Conduit terminal |
| N | 100 VAC | With surge voltage |
| Р | 110 VAC | \suppressor / \suppressor |
| Q | 200 VAC | |
| R | 230 VAC | |
| S | 24 VDC | Conduit |
| Т | 100 VAC | (With surge voltage |
| U | 110 VAC | \suppressor |
| ٧ | 200 VAC | |
| W | 230 VAC | |
| Y | 24 VDC | Flat terminal |
| z | | Other voltages |


| | | | | | | | vvater | |
|-----------|--------|------------|-----|--|--------------------|-----------|------------------|--|
| Coil size | e/Valv | e type | | Body material/Port size/Orifice diameter | | | | |
| Size | Symbol | Valve type | | Symbol | Body material | Port size | Orifice diameter | |
| | 1 | N.C. | | Α | | | 2 | |
| Size 1 | | N.C. | | В | | 1/8 | 3 | |
| OIZO I | 4 | N.O. | | С | C37 | | 5 | |
| | | 14.0. | | D | | | 2 | |
| | | | `\ | E | | 1/4 | 3 | |
| | | | \ | F | | | 5 | |
| | | | \ | Н | | | 2 | |
| | | | \ | J | | 1/8 | 3 | |
| | | | - / | K | Stainless | | 5 | |
| | | | , | L | steel | | 2 | |
| | | | 1 | M | | 1/4 | 3 | |
| | | | , | N | | | 5 | |
| | 2 | N.C. | | Α | C37 | 1/4 | 4 | |
| Size 2 | | 11.0. | | В | | ., . | 7 | |
| | 5 | N.O. | | D | | 3/8 | 4 | |
| | | | Ĺ | | | 1/4 | 7 | |
| | | | 1 | | | | 7 | |
| | | | / | L | | 3/8 | 4 | |
| | | | 1 | М | | | 7 | |
| | | | Τ | Α | | | 5 | |
| Size 3 | 3 | N.C. | | В | | 1/4 | 8 | |
| Size 3 | 6 | N.O. | | С | | | 10 (N.C. only) | |
| | 0 | N.O. | | D | C37 | | 5 | |
| | | | ` | E | | 3/8 | 8 | |
| | | | ļ | F | | | 10 (N.C. only) | |
| | | | Ì | G | | 1/2 | 10 (N.C. only) | |
| | | | 1 | Н | | | 5 | |
| | | | \ | J | | 1/4 | 8 | |
| | | | | K | Ctainlass | | 10 (N.C. only) | |
| | | | ì | L | Stainless steel | | 5 | |
| | | | \ | M | | 3/8 | 8 | |
| | | | ``` | N | | | 10 (N.C. only) | |
| | | | , | Р | | 1/2 | 10 (N.C. only) | |
| | | | | | | | | |

For special options, refer to pages 49 to 51.

| i or opeoidi optiono, reici | to pages 45 to 51. | |
|-----------------------------|--------------------|--|
| | 24 VAC | Applicable to deionized water (Seal material: FKM) |
| Special voltage | 48 VAC | Seal material: EPDM |
| | 220 VAC | Oil-free |
| | 240 VAC | G thread |
| | 12 VDC | NPT thread |
| DIN terminal with light | | With bracket |
| Conduit terminal with light | | Mounting holes on the bottom side of the body |
| Without DIN connector | | Special electrical entry direction |
| • | | |

Dimensions → Pages 60, 61 (Single unit)





This valve can also be used with air or water.
 (Refer to the valve specifications for air or water.)

The kinematic viscosity must not exceed 50 mm²/s. The special construction of the armature adopted in the built-in ull-wave rectifier type gives an improvement in OFF response by providing clearance on the absorbed surface when it is switched ON.


Model/Valve Specifications

Symbol



When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

Symbol





When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

Normally Closed (N.C.)

| | . , 0.000a (| | | | | | | |
|------|---------------------------------|---------------|--------|-----------------|---------------------|--|----------------------|----------------|
| Size | Size Port size Orifice diameter | | Mandal | Flow rate chara | acteristics Note 2) | Maximum operating | Max. system pressure | Weight Note 3) |
| Size | Port size | (mmø) Note 1) | Model | Kv | Conversion Cv | pressure differential (MPa) Note 4) | (MPa) Note 4) | (g) |
| | | 2 | | 0.20 | 0.23 | 1 | | 300 |
| 1 | 1/8, 1/4 | 3 | VX213 | 0.36 | 0.42 | 0.6 | | 300 |
| | | 5 | | 0.54 | 0.63 | 0.2 | | 300 |
| 2 | 1/4, 3/8 | 4 | VX223 | 0.54 | 0.63 | 1 | | 460 |
| | 1/4, 5/6 | 7 | | 0.93 | 1.08 | 0.15 | 1.0 | 460 |
| | | 5 | | 0.64 | 0.75 | 1 | | 580 |
| 3 | 1/4, 3/8 | 8 | VX233 | 1.36 | 1.58 | 0.3 | 7 | 580 |
| 3 | | 10 | VA233 | 1.89 | 2.21 | 0.1 | | 580 |
| | 1/2 | 10 | | 1.89 | 2.21 | 0.1 | | 630 |

Normally Open (N.O.)

| 18 | ttormany open (thoi) | | | | | | | | |
|----|----------------------|-------------|------------------|-----------|-----------------|---------------------|--|---------------------------------------|----------------|
| | 0: | Don't aller | Orifice diameter | Mandal | Flow rate chara | acteristics Note 2) | Maximum operating | Max. system pressure (MPa) Note 4) | Weight Note 3) |
| | Size | Port size | (mmø) Note 1) | Model | Kv | Conversion Cv | pressure differential (MPa) Note 4) | | (g) |
| I | | | 2 | | 0.20 | 0.23 | 0.9 | | 320 |
| | 1 | 1/8, 1/4 | 3 | VX243 | 0.36 | 0.42 | 0.45 | | 320 |
| | | | 5 | | 0.54 | 0.63 | 0.2 | | 320 |
| ĺ | 2 | 1/4, 3/8 | 4 | VX253 | 0.54 | 0.63 | 0.8 | 1.0 | 490 |
| | 2 | 1/4, 3/6 | 7 | V A 2 3 3 | 0.93 | 1.08 | 0.15 | | 490 |
| | 3 | 1/4, 3/8 | 5 | VX263 | 0.64 | 0.75 | 0.8 | | 620 |
| | 3 | 1/4, 3/6 | 8 | V A 2 0 3 | 1.36 | 1.58 | 0.3 | | 620 |

Note 1) The orifice size is just as a reference guide. Check the flow rate characteristics (conversion Cv).

Note 2) The flow rate characteristics of this product have variations.

When the highly precise flow control is required according to the system to be used, select an orifice diameter 1.3 times larger than that shown above and install a restrictor on the downstream side of the solenoid valve to make the adjustment.

Note 3) Weight of grommet type. Add 10 g for conduit type, 30 g for DIN terminal type, 60 g for conduit terminal type respectively.

Note 4) Refer to "Glossary of Terms" on page 65 for details on the maximum operating pressure differential and the maximum system pressure.

Fluid and Ambient Temperature

| Fluid temperature (°C) | Ambient temperature (°C) | |
|------------------------|--------------------------|--|
| -5 Note) to 60 | -20 to 60 | |

Note) Kinematic viscosity: 50 mm²/s or less

Valve Leakage Rate

Internal Leakage

| Seal material | Leakage rate (Oil) Note) |
|---------------|----------------------------------|
| FKM | 0.1 cm ³ /min or less |

External Leakage

| Seal material | Leakage rate (Oil) Note) |
|---------------|----------------------------------|
| FKM | 0.1 cm ³ /min or less |
| | |

Note) Leakage is the value at ambient temperature 20°C.



page 53-2 for UL-compliant products.



VX2

VXK VXD VXZ VXS VXB VXE VXP VXR VXH VXF VX3 VXA

VX2 1 3 A A Fluid 3 Oil

Common Specifications

| Common opecinications | | | | | |
|-----------------------|---------|---|--|--|--|
| Seal material | FKM | | | | |
| Coil insulation type | Class B | 1 | | | |
| Thread type | Rc | | | | |

| Body material/Port | size/Orifice | diamete |
|--------------------|--------------|---------|
|--------------------|--------------|---------|

| Coil size/Valve type | | | Body | / material/ | Port size/0 | Orifice diamete | | | | |
|----------------------|----------|------------|------------|-------------|--------------------|-----------------|------------------|-----------|--|----------------|
| Size | Symbol | Valve type | | Symbol | Body material | Port size | Orifice diameter | | | |
| | 1 | N.C. | | Α | | | 2 | | | |
| Size 1 | | N.C. | | В | | 1/8 | 3 | | | |
| Size i | 4 | N.O. | | С | C37 | | 5 | | | |
| | | 14.0. | | D | 007 | | 2 | | | |
| | | | ì, | E | | 1/4 | 3 | | | |
| | | | \ | F | | | 5 | | | |
| | | | \ | Н | | | 2 | | | |
| | | | \ | J | | 1/8 | 3 | | | |
| | | | \ <u>\</u> | K | Stainless | | 5 | | | |
| | | | , | L | steel | | 2 | | | |
| | | | 1 | М | | 1/4 | 3 | | | |
| | | | , | N | | | 5 | | | |
| | 2 | N.C. | | Α | | 1/4 | 4 | | | |
| Size 2 | | IV.C. | | В | C37 | 1/4 | 7 | | | |
| Size z | 5 | N.O. | | D | | 3/8 | 4 | | | |
| | | | l | E | | 0,0 | 7 | | | |
| | | | Y | Н | | 1/4 | 4 | | | |
| | | | Ϊ, | J | Stainless | ., . | 7 | | | |
| | | / | L | steel | 3/8 | 4 | | | | |
| | | | `, | M | | | 7 | | | |
| | 3 | N.C. | | Α | | | 5 | | | |
| Size 3 | <u> </u> | 14.0. | | В | | 1/4 | 8 | | | |
| OIZC O | 6 | N.O. | | С | | | 10 (N.C. only) | | | |
| | | 10. | | D | C37 | | 5 | | | |
| | | | ` | E | | 3/8 | 8 | | | |
| | | | 1 | F | | | 10 (N.C. only) | | | |
| | | | Ì | G | | 1/2 | 10 (N.C. only) | | | |
| | | | Ì | Н | | | 5 | | | |
| | | | 1 | J | Stainless steel | 1/4 | 8 | | | |
| | | | 1 | K | | Stainless | Stainless | Stainless | | 10 (N.C. only) |
| | | | M M | L | | 3/8 | 5 | | | |
| | | | | - | | | 8 | | | |
| | | | , | N | | 4/0 | 10 (N.C. only) | | | |
| | | | 7 | Р | | 1/2 | 10 (N.C. only) | | | |

| Symbol | Voltage | Electrical entry |
|--------|---------|--------------------|
| A | 24 VDC | Grommet |
| В | 100 VAC | Grommet |
| С | 110 VAC | With surge voltage |
| D | 200 VAC | suppressor/ |
| E | 230 VAC | |
| F | 24 VDC | |
| G | 24 VDC | DIN terminal |
| Н | 100 VAC | With surge voltage |
| J | 110 VAC | suppressor/ |
| Κ | 200 VAC | |
| L | 230 VAC | |
| М | 24 VDC | Conduit terminal |
| N | 100 VAC | With surge voltage |
| Р | 110 VAC | suppressor |
| Q | 200 VAC | |
| R | 230 VAC | |
| s | 24 VDC | Conduit |
| Т | 100 VAC | With surge voltage |
| C | 110 VAC | suppressor |
| ٧ | 200 VAC | |
| W | 230 VAC | |
| Υ | 24 VDC | Flat terminal |
| Z | | Other voltages |


For special options, refer to pages 49 to 51.

| or operior optione, reio | to pages is to si. | | | | |
|-----------------------------|--------------------|--|--|--|--|
| | 24 VAC | | | | |
| | 48 VAC | | | | |
| Special voltage | 220 VAC | | | | |
| | 240 VAC | | | | |
| | 12 VDC | | | | |
| DIN terminal with light | | | | | |
| Conduit terminal with light | | | | | |

| ١ | Without DIN connector |
|---|---|
| | Oil-free |
| | G thread |
| 1 | NPT thread |
| ١ | With bracket |
| 1 | Mounting holes on the bottom side of the body |
| - | Special electrical entry direction |

Dimensions → Pages 60, 61 (Single unit)





* This valve can also be used with air, water, oil or heated water. (Refer to the valve specifications for air, water or oil.)

Model/Valve Specifications

Symbol Symbol N.C. N.O.

When the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1,

the valve will not be able to block the fluid and it will flow from port 2 to port 1.

Normally Closed (N.C.)

| 140 | ,, iiiaii | y Cioseu (| 14.0.) | | | | | | |
|------|-----------|------------|------------------|-----------|-----------------------------------|---------------|--|----------------------|----------------|
| | Cina | Port size | Orifice diameter | Model | Flow rate characteristics Note 2) | | Maximum operating | Max. system pressure | Weight Note 3) |
| Size | Size | | (mmø) Note 1) | Model | Kv | Conversion Cv | pressure differential (MPa) Note 4) | (MPa) Note 4) | (g) |
| | | | 2 | | 0.20 | 0.23 | 1 | 1.0 | 300 |
| | 1 | 1/8, 1/4 | 3 | VX215 | 0.36 | 0.42 | 0.6 | | 300 |
| | | | 5 | | 0.54 | 0.63 | 0.2 | | 300 |
| | , | 1/4, 3/8 | 4 | VX225 | 0.54 | 0.63 | 1 | | 460 |
| | 2 | | 7 | | 0.93 | 1.08 | 0.15 | | 460 |
| | | 1/4, 3/8 | 5 | VX235 | 0.64 | 0.75 | 1 | | 580 |
| 3 | , | | 8 | | 1.36 | 1.58 | 0.3 | | 580 |
| | ٠ | | 10 | V A 2 3 5 | 1.89 | 2.21 | 0.1 | | 580 |
| | | 1/2 | 10 | | 1.89 | 2.21 | 0.1 | | 630 |

Normally Open (N.O.)

| Size | Port size | Orifice diameter (mmø) Note 1) | Model | Flow rate characteristics Note 2) | | Maximum operating | Max. system pressure | Note 3) Weight |
|------|-----------|--------------------------------|-----------|-----------------------------------|---------------|-------------------|----------------------|-------------------|
| Size | | | | Kv | Conversion Cv | (MPa) Note 4) | (MPa) Note 4) | (g) |
| 1 | | 2 | | 0.20 | 0.23 | 0.9 | | 320 |
| | 1/8, 1/4 | 3 | VX245 | 0.36 | 0.42 | 0.45 | | 320 |
| | | 5 | | 0.54 | 0.63 | 0.2 | | 320 |
| 2 | 1/4, 3/8 | 4 | VX255 | 0.54 | 0.63 | 0.8 | 1.0 | 490 |
| | | 7 | V A 2 3 3 | 0.93 | 1.08 | 0.15 | | 490 |
| 3 | 1/4. 3/8 | 5 | VX265 | 0.64 | 0.75 | 0.8 | | 620 |
| | 1/4, 3/8 | 8 | V A 200 | 1.36 | 1.58 | 0.3 | | 620 |

Note 1) The orifice size is just as a reference guide. Check the flow rate characteristics (conversion Cv). Note 2) The flow rate characteristics of this product have variations.

When the highly precise flow control is required according to the system to be used, select an orifice diameter 1.3 times larger than that shown above and install a restrictor on the downstream side of the solenoid valve to make the adjustment.

Note 3) Weight of grommet type. Add 10 g for conduit type, 60 g for conduit terminal type respectively.

Note 4) Refer to "Glossary of Terms" on page 65 for details on the maximum operating pressure differential and the maximum system pressure.

Fluid and Ambient Temperature

| Fluid temperature (°C) | Ambient temperature (°C) | |
|--------------------------|--------------------------|--|
| Steam: 183 or less | -20 to 60 | |
| Heated water: 99 or less | -20 to 60 | |

Valve Leakage Rate

Internal Leakage

| Fluid | Seal material | Leakage rate | | |
|--------------|----------------------------|----------------------------------|--|--|
| Steam | FKM for high temperature | 1.0 cm ³ /min or less | | |
| Heated water | rkivi ior nign temperature | 0.1 cm ³ /min or less | | |

External Leakage

| Fluid | Seal material | Leakage rate | |
|--------------|------------------------------|----------------------------------|--|
| Steam | FKM for high temperature | 1.0 cm ³ /min or less | |
| Heated water | r-Kivi ioi nigri temperature | 0.1 cm ³ /min or less | |





How to Order (Single Unit)



VX2 VXK VXD VXZ VXS VXB VXE VXP VXR VXH VXF VX3 VXA

| | | | | | VX | 2 [1 | <u>5</u> A |
|-------------|--------|------------|-----|--------|--------------------|-------------|--------------------|
| | | | | | | | |
| | | | | | 5 | Stea | Fluid |
| | | | | | | | ith heated water. |
| | | | | | * Car | i be used w | itri neateu water. |
| • Coil size | ∍/Valv | e tyne | | Rody | material/ | Port eiza/C | Orifice diameter |
| | | | | | Body | | Orifice |
| Size | Symbol | Valve type | | Symbol | material | Port size | diameter |
| | 1 | N/O | | Α | | | 2 |
| Size 1 | 1 | N.C. | | В | | 1/8 | 3 |
| Size i | 4 | N.O. | | С | C37 | | 5 |
| | 4 | N.O. | | D | C37 | | 2 |
| | | | `. | Е | | 1/4 | 3 |
| | | | \ | F | | | 5 |
| | | | \ | Н | | | 2 |
| | | | \ | J | | 1/8 | 3 |
| | | | | K | Stainless | | 5 |
| | | | \ | L | steel | | 2 |
| | | | 1 | M | | 1/4 | 3 |
| | | | , | N | | | 5 |
| | | N.C. | Γ | Α | C37 | 1/4 | 4 |
| 0: 0 | 2 | N.C. | | В | | | 7 |
| Size 2 | 5 | N.O. | 1 | D | | 3/8 | 4 |
| | 3 | N.O. | | Е | | 3/6 | 7 |
| | | | \ | Н | | 1/4 | 4 |
| | | | Ì | J | Stainless | 1/4 | 7 |
| | | | _ / | L | steel | 3/8 | 4 |
| | | | `, | M | | 0,0 | 7 |
| | _ | | · | Α | | | 5 |
| 0: 4 | 3 | N.C. | | В | | 1/4 | 8 |
| Size 3 | | N.O. | | C | | | 10 (Only N.C.) |
| | 6 | N.O. | | D | C37 | | 5 |
| | | | \ | E | | 3/8 | 8 |
| | | | 1 | F | | | 10 (Only N.C.) |
| | | | \ | G | | 1/2 | 10 (Only N.C.) |
| | | | 1 | Н | | | 5 |
| | | | 1 | J | | 1/4 | 8 |
| | | | 1 | K | Ctainla | | 10 (Only N.C.) |
| | | | \ | L | Stainless steel | 3/8 | 5 |
| | | | \ | М | | | 8 |
| | | | | N | | | 10 (Only N.C.) |
| | | | , | Р | | 1/2 | 10 (Only N.C.) |

| Seal material | FKM for high temperature | | |
|----------------------|--------------------------|--|--|
| Coil insulation type | Class H | | |
| Thread type | Rc | | |

| Symbol | Voltage | Electrical entry | | | | |
|--------|---------|-------------------------------------|--|--|--|--|
| A | 24 VDC | Grommet | | | | |
| В | 100 VAC | Grommet | | | | |
| С | 110 VAC | /With surge voltage | | | | |
| D | 200 VAC | \suppressor/ | | | | |
| Е | 230 VAC | | | | | |
| G | 24 VDC | DIN terminal | | | | |
| H J | 100 VAC | With surge voltage suppressor Note) | | | | |
| | 110 VAC | | | | | |
| Κ | 200 VAC | | | | | |
| L | 230 VAC | | | | | |
| N | 100 VAC | Conduit terminal /With surge \ | | | | |
| Р | 110 VAC | voltage | | | | |
| Ø | 200 VAC | \suppressor/ | | | | |
| R | 230 VAC | | | | | |
| Т | 100 VAC | Conduit | | | | |
| U | 110 VAC | /With surge voltage | | | | |
| ٧ | 200 VAC | \suppressor/ | | | | |
| w | 230 VAC | | | | | |
| Z | | Other voltages | | | | |

Note) For the class H type DIN terminal, use it in combination with the connector provided.

| For special options, refer to pages 49 to 51. | | | | | | |
|---|---------|--|--|--|--|--|
| • | 24 VAC | | | | | |
| Special voltage | 48 VAC | | | | | |
| Special voltage | 220 VAC | | | | | |
| | 240 VAC | | | | | |
| DIN terminal with light | | | | | | |
| Conduit terminal with light | | | | | | |
| Seal material: EPDM (99°C or less) | | | | | | |
| Oil-free | | | | | | |
| G thread | | | | | | |
| NPT thread | | | | | | |
| With bracket | | | | | | |
| Mounting holes on the bottom side of the body | | | | | | |
| Special electrical entry direction | | | | | | |

Dimensions → Page 62 (Single unit)

Special Options

Electrical Options

(Special voltage, With light, Without DIN connector)



Electrical specification/Voltage/Electrical entry

| Electrical specification/Voltage/Electrical enti | | | | | | | |
|--|--------|----------|---------|-----------------------------------|--|--|--|
| Specification | Symbol | Class H* | Voltage | Electrical entry | | | |
| | 1A | • | 48 VAC | | | | |
| | 1B | • | 220 VAC | Grommet | | | |
| | 1C | • | 240 VAC | (With surge voltage suppressor) | | | |
| | 10 | • | 24 VAC | | | | |
| | 1D | | 12 VDC | Grommet | | | |
| | 1E | | 12 VDC | Grommet | | | |
| ø. | | | 12 VDC | (With surge voltage suppressor) | | | |
| | 1F | • | 48 VAC | | | | |
| | 1G | • | 220 VAC | DIN terminal | | | |
| ag | 1H | | 240 VAC | (With surge voltage suppressor) | | | |
| ŧ | 17 | • | 24 VAC | (with surge voltage suppressor) | | | |
| ~ | 1J | | 12 VDC | | | | |
| Special voltage | 1K | | 48 VAC | | | | |
| ě | 1L | • | 220 VAC | Conduit terminal | | | |
| ٠, | 1M | • | 240 VAC | (With surge voltage suppressor) | | | |
| | 1W | | 24 VAC | (vviiii surge voitage suppressor) | | | |
| | 1N | _ | 12 VDC | | | | |
| | 1P | • | 48 VAC | | | | |
| | 1Q | • | 220 VAC | Conduit | | | |
| | 1R | • | 240 VAC | (With surge voltage suppressor) | | | |
| | 1Y | • | 24 VAC | (vviiii surge voitage supplessor) | | | |
| | 1S | _ | 12 VDC | | | | |
| | 1T | _ | 12 VDC | Flat terminal | | | |

| 2A | • | 24 VDC | | |
|----|--|---------|---------------------------------|--|
| 2B | • | 100 VAC | | |
| 2C | • | 110 VAC | | |
| 2D | • | 200 VAC | 1 | |
| 2E | • | 230 VAC | DIN terminal | |
| 2F | • | 48 VAC | (With surge voltage suppressor) | |
| 2G | • | 220 VAC | | |
| 2H | • | 240 VAC | | |
| 2V | • | 24 VAC | | |
| 2J | _ | 12 VDC | | |
| 2K | _ | 24 VDC | | |
| 2L | • | 100 VAC | | |
| 2M | • | 110 VAC | | |
| 2N | • | 200 VAC | | |
| 2P | • | 230 VAC | Conduit terminal | |
| 2Q | • | 48 VAC | (With surge voltage suppressor) | |
| 2R | • | 220 VAC | | |
| 2S | • | 240 VAC | | |
| 2W | • | 24 VAC | | |
| 2T | _ | 12 VDC | | |
| | 2B 2C 2D 2E 2F 2G 2H 2V 2J 2K 2L 2M 2N 2P 2Q 2Q 2R 2S 2W | 2B | 2B | |

| | 3A | _ | 24 VDC | |
|-----------------------|----|---|---------|---------------------------------|
| toı | 3B | _ | 100 VAC | |
| эес | 3C | _ | 110 VAC | |
| onr | 3D | _ | 200 VAC | |
| ٥ | 3E | _ | 230 VAC | DIN terminal |
| = | 3F | _ | 48 VAC | (With surge voltage suppressor) |
| ut I | 3G | _ | 220 VAC | |
| oh: | 3H | _ | 240 VAC | |
| Without DIN connector | 3V | _ | 24 VAC | |
| - | 3J | _ | 12 VDC | |

* Options marked with ● are available for Class "H" coil. Applicable for all when the coil insulation class is Class "B".

* Enter symbols in the order below when ordering a combination of electrical option, other option, etc.

Example) VX2 1 2 A Z 1A Z

Electrical option Other option

Other Options

Low concentration ozone resistant and applicable to deionized water
Oil-free
Port thread

VX2 1 0 A Z

Enter standard product onumber.

Other option

Low concentration ozone resistant and applicable to deionized water/Oil-free/Port thread

| Low concentration ozone resistant and applicable to deionized water*1, *3 (Seal material: FKM) | Oil-free | Port thread |
|---|---|-------------------------------------|
| _ | | Rc, One-touch fitting*2 |
| | | G*4 |
| _ | _ | NPT |
| 0 | | Rc, One-touch fitting*2 |
| | | G*4 |
| _ | 0 | NPT |
| 0 | | G*4 |
| Ų į | _ | NPT |
| | | Rc, One-touch fitting*2 |
| 0 | 0 | G*4 |
| | | NPT |
| _ | 0 | Rc, One-touch fitting*2 |
| | to deionized water ^{41, 43} (Seal material: FKM) | DUBUNIZED WARE Code Material, FAM |

- *1 Applicable to air (VX2 0) and water (VX2 2).
- *2 When the body is resin, One-touch fittings are equipped.
- *3 When using deionized water or any other fluid that may corrode C37 (brass), select a stainless steel body.
- *4 For connection, prepare a fitting compliant with ISO 16030 and JIS B 8674.

Made to Order

<Special lead wire length>

Produced upon receipt of order.



Lead wire length

XL1 600 mm

XL2 1000 mm

XL3 1500 mm

XL4 3000 mm

VX2

VXK

VXD VXZ

VXS

VXB
VXP
VXR
VXH
VXF

VXA

<High pressure>

VX2 XH


| | | | Correspondence table | | | | |
|----|-------|---------------|----------------------|----------------|------------|-----------------------|--|
| Γ, | Size | | Body | Port | Orifice | Max. operating | |
| | Size | Symbol | material | size | dia. | pressure differential | |
| | | Q | C37 | 1/8 | | | |
| | N.C. | R | U37 | 1/4 | 2 | 2 MPa | |
| 1 | IN.C. | S | Chainless sheet | 1/8 | 1 2 | | |
| | | T | Stainless steel | ness steel 1/4 | | | |
| | N.O. | _ | _ | Not availab | | able | |
| | | Q | C37 | 1/4 | 3 | 2 MPa | |
| 2 | N.C. | R | 037 | 3/8 | ٥ | 2 IVIPa | |
| - | | _ | Stainless steel | ١ | lot availa | able | |
| | N.O. | _ | _ | Not availabl | | able | |
| | | Q | C37 | 1/4 | 3 | 3 МРа | |
| 3 | N.C. | . R C3/ 3/8 3 | ١٠ | 3 IVIPA | | | |
| ۱° | | _ | Stainless steel | ١ | lot availa | able | |
| | N.O. | _ | _ | Not available | | able | |

 The aluminum and PBT bodies are not available.


| Option • | | | | |
|----------|-------------------------------|--------------|--|--|
| | Specifications | | | |
| Symbol | Electrical entry direction | Bracket | | |
| Nil | In side (Standard) | | | |
| Α | 90° | None | | |
| В | 180° | | | |
| С | 270° | | | |
| D | In side | With bracket | | |
| _ | (Standard) | | | |
| E | 90° | | | |
| F | 180° | DIACKEL | | |
| G | 270° | | | |
| н | In side | Mounting | | |
| П | (Standard) | holes on | | |
| J | 90° | the bottom | | |
| K | 180° | side of | | |
| L | 270° | the body | | |

Installation Options (Mounting Option/Special Electrical Entry Direction)


The following shows combinations that can be selected using installation options.




Special Electrical Entry Direction




Special electrical entry direction



* Enter symbols in the order below when ordering a combination of electrical option, other option and special electrical entry direction.



With Bracket/ **Special Electrical Entry Direction**



| | | eie | ctrical entry direction |
|--------|----------------------------|--------|----------------------------|
| Symbol | Electrical entry direction | Symbol | Electrical entry direction |
| Nil | Standard IN OUT | | |
| A | 90° 90° OUT | С | 270° 270° OUT |
| В | 180° 180° OUT | | 11. |

| | ₽ | |
|----|-----------|-------|
| | ₩ | i s s |
| un | ** | |
| | X | |

| Size | Port size | U | W | Х |
|------|-----------|----|----|----|
| 1 | 1/8, 1/4 | 46 | 36 | 11 |
| 2 | 1/4, 3/8 | 56 | 46 | 13 |
| 3 | 1/4, 3/8 | 56 | 46 | 13 |
| 3 | 1/2 | _ | _ | _ |
| | | | | |

- *1 Bracket is attached as standard with the resin body, so there are no XB settings. *2 When the orifice is ø8, ø10, and the body port size is 1/4 or 3/8, use a foot
- type bracket. (The L-bracket of the old VX series is not compatible.) If the body port size is 1/2, there are no XB settings. (Refer to the following.) *3 On the bottom side of the standard body, there is no female thread for mounting
- a bracket. Please be careful because the bracket cannot be retrofit.
- *4 Bracket is packed in the same container as the main body.

Bracket Interchangeable with an Old Type

| $\overline{}$ | | | | | |
|---------------|------------|------------------------|--|--|--|
| Size | Port size | Orifice diameter (mmø) | Bracket interchangeable with an old type | | |
| | | 2 | (Interchangeable) | | |
| 1 | 1/8, 1/4 | 3 | (Interchangeable) | | |
| | | 5 | (Interchangeable) | | |
| 2 | 2 1/4, 3/8 | 4 | (Interchangeable) | | |
| | | 7 | (Interchangeable) | | |
| | | 5 | (Interchangeable) | | |
| 3 | 1/4, 3/8 | 8 | × (Not interchangeable)*2 | | |
| 3 | | 10 | × (Not interchangeable)*2 | | |
| | 1/2 | 10 | — (Not available)*2 | | |

* Enter symbols in the order below when ordering a combination of electrical option, other option and with bracket.


Example) VX2 1 2 A Z 1A Z XB A

Electrical option Other option With bracket/Special electrical entry direction

Installation Options (Mounting Option/Special Electrical Entry Direction)

VX2


Mounting Holes on the Bottom Side of the Body/ Special Electrical Entry Direction



Enter standard product number.

> Mounting holes on the bottom side of the body/ Special electrical entry direction


| Symbol | Electrical entry direction | Symbol | Electrical entry direction |
|--------|----------------------------|--------|----------------------------|
| Nil | Standard OUT | | |
| A | 90° 90° OUT | С | 270° 270° OUT |
| В | 180° 180° OUT | | 耶 |



| | | | | (mm) |
|------|-----------|----|---|------|
| Size | Port size | M | D | P |
| 1 | 1/8, 1/4 | M4 | 6 | 12.8 |
| 2 | 1/4, 3/8 | M5 | 8 | 19 |
| 3 | 1/4, 3/8 | M5 | 8 | 19 |
| 3 | 1/2 | M5 | 8 | 23 |

Note) Resin body is not available.

* Enter symbols in the order below when ordering a combination of electrical option, other option and mounting holes on the bottom side of the body.



Electrical option Other option Mounting holes on the bottom side of the body/ Special electrical entry direction



Enter standard product Seal material: number. **EPDM**


Fluid symbol Air

Water Medium vacuum Heated water (99°C or less)

With bracket/Mounting holes on the bottom side of the body/ Special electrical entry direction

| | | <u> </u> | | |
|--------|----------------------------|---------------------------|--|--|
| Cumbal | Specifications | | | |
| Symbol | Electrical entry direction | Bracket | | |
| Nil | IN side (Standard) | | | |
| Α | 90° | None | | |
| В | 180° | None | | |
| C | 270° | | | |
| D | IN side (Standard) | | | |
| E | 90° | With bracket*1, 2 | | |
| F | 180° | Willi blacket | | |
| G | 270° | | | |
| Н | IN side (Standard) | | | |
| J | 90° | Mounting holes on the | | |
| K | 180° | bottom side of the body*1 | | |
| L | 270° | | | |

- *1 Resin body is not available.
- *2 The model with bracket is not available for port size 1/2. *3 "Other Options", which can be combined, are A, B, D, E, Z.
- *4 Electrical entry direction



* Enter symbols in the order below when ordering a combination of electrical option, other option, seal material: EPDM, with bracket, mounting holes on the bottom side of the body and special electrical entry direction.

Example) VX2 1 2 A Z 1A Z X332 A

Electrical option Other option Seal material: EPDM/ With bracket/Mounting holes on the bottom side of the body/ Special electrical entry direction VX2

VXK VXD

X332 A

VXZ

VXS VXB

VXE

VXP

VXR VXH

VXF VX3

VXA

UL-compliant

* Refer to the table shown below for UL-compliant.

| VX210 | Valve | type: | N.C. |
|-------|-------|-------|------|
| | | | |

| VAZIO | vaiv | e type. iv. | U . | |
|-------------------------------|-----------------------------------|---|---------------|-----------------------|
| Size, Valve type, Fluid | Body material, Port size | Voltage, Electrical entry, Electrical options | Other options | With Note) bracket |
| VX210 | Α | Α | Nil | Nil |
| | В | В | Α | XC* |
| | С | С | В | XB* |
| | D | D | С | XNB* |
| | E | E | D | X332* |
| | F | F | E | |
| | H Note) | M | F | |
| | J Note) | N | G | |
| | K Note) | P | Н | |
| | L Note) | Q | K | |
| | M Note) | R | L | |
| | N Note) | S | Z | |
| | | | | |

| Т | Note) Body material/ |
|-----|----------------------------------|
| U | Port size: Since |
| ٧ | the bracket is |
| W | attached to H, J, |
| Y | K, L, M and N, "XB" cannot be |
| Z1A | selected. |
| Z1B | |
| Z1C | |
| Z1U | |
| Z1D | |
| Z1E | |
| Z1K | |
| Z1L | |
| Z1M | |
| Z1W | |
| Z1N | |

Z1P Z1Q

Z1R

Z1Y

Z1S

Z1T

Z2K

Z2L

Z2M

Z2N

Z2P

Z2Q

Z2R

Z2S

Z2W

Z2T

Z3A

Z3B

Z3C

Z3D

Z3E

Z3F

Z3G

Z3H

Z3V

Z3J

VX220

| VX220 |) Valv | e type: N.C. | | | | | | | | | |
|-------------------------------|-----------------------------------|---|---------------|-----------------------|--|--|--|--|--|--|--|
| Size, Valve type, Fluid | Body material, Port size | Voltage, Electrical entry, Electrical options | Other options | With Note) bracket | | | | | | | |
| VX220 | Α | Α | Nil | Nil | | | | | | | |
| | В | В | Α | XC* | | | | | | | |
| | D | С | В | XB* | | | | | | | |
| | E | D | С | XNB* | | | | | | | |
| | H Note) | E | D | X332 | | | | | | | |
| | J Note) | F | E | | | | | | | | |
| | L Note) | M | F | | | | | | | | |
| | M Note) | N | G | | | | | | | | |
| | | P | Н | | | | | | | | |
| | | Q | K | | | | | | | | |
| | | В | | 1 | | | | | | | |

| S | Z |
|------|----------------------------|
| Т | Note) Body material/ |
| U | Port size: Since |
| V | the bracket is |
| W | attached to H, J, |
| Y | L and M, "XB" cannot be |
| Z1A | selected. |
| Z1B | |
| Z1C | |
| Z1U | |
| Z1D | |
| Z1E | |
| 71 K | |

Z

VX230 Valve type: N.C.

| VAZJU | vaiv | е туре: м.с. | | | | | | | | |
|-------------------------------|-----------------------------------|---|---------------|-----------------------|--|--|--|--|--|--|
| Size, Valve type, Fluid | Body material, Port size | Voltage, Electrical entry, Electrical options | Other options | With Note) bracket | | | | | | |
| VX230 | Α | Α | Nil | Nil | | | | | | |
| | В | В | Α | XC* | | | | | | |
| | С | С | В | XB* | | | | | | |
| | D | D | С | XNB* | | | | | | |
| | E | E | D | X332* | | | | | | |
| | F | F | E | | | | | | | |
| | G Note 1) | M | F | | | | | | | |
| | H Note 2) | N | G | | | | | | | |
| | J Note 2) | Р | Н | | | | | | | |
| | K Note 2) | Q | K | | | | | | | |
| | L Note 2) | R | L | | | | | | | |
| M Note 2) | | S | Z | | | | | | | |
| | Note 2) | Т | Note 4) D | | | | | | | |

| I | Note 1) Body |
|-----|----------------------------------|
| U | material/Port |
| ٧ | size: Since "with |
| W | bracket" setting |
| Υ | is not provided on G. "XB" |
| Z1A | cannot be |
| Z1B | selected. |
| Z1C | Note 2) Body material/Port |
| Z1U | size: Since the |
| Z1D | bracket is |
| Z1E | attached to H, J, |
| Z1K | K, L, M and N, "XB" cannot be |
| Z1L | selected. |
| Z1M | |
| Z1W | |
| Z1N | |
| Z1P | |

| Z1K |
|-----|
| Z1L |
| Z1M |
| Z1W |
| Z1N |
| Z1P |
| Z1Q |
| Z1R |
| Z1Y |
| Z1S |
| Z1T |
| Z2K |
| Z2L |
| Z2M |
| Z2N |
| Z2P |
| Z2Q |
| Z2R |
| Z2S |
| Z2W |
| Z2T |
| Z3A |
| Z3B |
| Z3C |
| Z3D |
| Z3E |
| Z3F |

Z1Q Z1R Z1Y Z1S Z1T Z2K Z2L Z2M Z2N Z2P Z2Q Z2R Z2S Z2W Z2T Z3A Z3B Z3C Z3D Z3E Z3F Z3G

Z3H

Z3V

Z3J

Z3J Refer to pages 49 to 51 for electrical options, other options, and bracket/electrical entry direction.

Z3G

Z3H

Z3V



UL-compliant VX21/22/23 Series

| | | | | | | | | For Water | | | | | | | | |
|-------------|-------------------|--------------------|---------------|-----------------|---|-------------|-------------------|--------------------|---------------|-----------------|---|-------------|-------------------|--------------------|---------------|-------------------|
| VX212 | Valv | e type: N. | C. | | | VX222 | . Valv | e type: N. | C. | | | VX232 | 2 Valv | e type: N. | C. | |
| Size, | Body | Voltage, | | | 1 | Size, | Body | Voltage, | | |] | Size, | Body | Voltage, | | |
| Valve type, | material, Port | Electrical entry, | Other options | With bracket | | Valve type, | material, Port | Electrical entry, | Other options | With bracket | | Valve type, | material, Port | Electrical entry, | Other options | With bracket |
| Fluid | size | Electrical options | options | Dracket | | Fluid | size | Electrical options | options | Dracket | | Fluid | size | Electrical options | options | Dracket |
| VX212 | Α | Α | Nil | Nil | | VX222 | Α | Α | Nil | Nil | 1 | VX232 | Α | Α | Nil | Nil |
| | В | В | Α | XC* | | | В | В | Α | XC* | | | В | В | Α | XC* |
| | С | С | В | XB* | | | D | С | В | XB* | | | С | С | В | XB* |
| | D | D | С | XNB* | | | E | D | С | XNB* | 1 | | D | D | С | XNB* |
| | E | Е | D | X332* | | | Н | E | D | X332* | | | Е | E | D | X332* |
| | F | F | E | | | | J | F | E | | , | | F | F | E | |
| | Н | М | F | 1 | | | L | М | F | 1 | | | G Note) | M | F | |
| | J | N | G | | | | M | N | G | | | | Н | N | G | |
| | K | Р | Н | | | | | P | Н | | | | J | P | Н | |
| | L | Q | K | | | | | Q | K | | | | K | Q | K | |
| | M | R | L | | | | | R | L | | | | L | R | L | |
| | N | S | Z | | | | | S | Z | | | | М | S | Z | |
| | | Т | | | | | | Т | | | | | N | Т | Note) Boo | ly material/ |
| | | U | | | | | | U | | | | | P Note) | U | Port si | ze: Since |
| | | V | | | | | | V | | | | | | V | | racket" |
| | | W | | | | | | W | | | | | | W | setting | is not ed on G |
| | | Y | | | | | | Υ | | | | | | Y | and P, | "XB" |
| | | Z1A | | | | | | Z1A | | | | | | Z1A | cannot | be |
| | | Z1B | | | | | | Z1B | | | | | | Z1B | selecte | ed. |
| | | Z1C | | | | | | Z1C | | | | | | Z1C | | |
| | | Z1U | | | | | | Z1U | | | | | | Z1U | | |
| | | Z1D | | | | | | Z1D | | | | | | Z1D | | |
| | | Z1E | ļ | | | | | Z1E | | | | | | Z1E | | |
| | | Z1K | | | | | | Z1K | | | | | | Z1K | | |
| | | Z1L | | | | | | Z1L | | | | | | Z1L | | |
| | | Z1M | | | | | | Z1M | | | | | | Z1M | | |
| | | Z1W | ļ | | | | | Z1W | | | | | | Z1W | | |
| | | Z1N | | | | | | Z1N | | | | | | Z1N | | |
| | | Z1P | | | | | | Z1P | | | | | | Z1P | | |
| | | Z1Q Z1R | | | | | | Z1Q Z1R | | | | | | Z1Q Z1R | | |
| | | Z1Y | | | | | | Z1Y | | | | | | Z1Y | | |
| | | Z1S | | | | | | Z1Y Z1S | | | | | | Z1Y Z1S | | |
| | | Z1T | - | | | | | Z1T | - | | | | | Z1T | | |
| | | Z2K | | | | | | Z2K | | | | | | Z2K | | |
| | | Z2L | | | | | | Z2L | | | | | | Z2L | | |
| | | Z2M | | | | | | Z2M | | | | | | Z2L Z2M | | |
| | | Z2N | | | | | | Z2N | | | | | | Z2N | | |
| | | Z2P | 1 | | | | | Z2P | | | | | | Z2P | | |
| | | Z2Q | 1 | | | | | Z2Q | 1 | | | | | Z2Q | | |
| | | Z2R | i | | | | | Z2R | | | | | | Z2R | | |
| | | Z2S | | | | | | Z2S | | | | | | Z2S | | |
| | | Z2W | | | | | | Z2W | | | | | | Z2W | | |
| | | Z2T | | | | | | Z2T | | | | | | Z2T | | |
| | | Z3A | | | | | | Z3A | | | | | | Z3A | | |
| | | Z3B | | | | | | Z3B | | | | | | Z3B | | |
| | | Z3C | | | | | | Z3C | | | | | | Z3C | | |
| | | Z3D | | | | | | Z3D | | | | | | Z3D | | |
| | | Z3E | | | | | | Z3E | | | | | | Z3E | | |
| | | Z3F | | | | | | Z3F | | | | | | Z3F | | |
| | | Z3G | | | | | | Z3G | | | | | | Z3G | | |
| | | 7011 | 1 | | | | | 7011 | 1 | | | | | 7011 | | |

Z3J Refer to pages 49 to 51 for electrical options, other options, and bracket/electrical entry direction.

Z3H

Z3V

Z3H

Z3V

Z3J



VXK VXD

VXZ

VXS

VXB VXE

VXP

VXR

VXH

VXF VX3

VXA

Z3H

Z3V

Z3J

| | | | | | | For l | Medium va | cuum | | | | | | |
|-------------------------------|---------------------------|---|--|--------------|-----------------------------|-------|---|--|--------------|------------------------------|----------|---|--|---------------------|
| VY21/ | 1 Valv | e type: N. | _ | | VY2 | | e type: N. | | | VY22 | 4 Vals | e type: N. | _ | |
| | Body | | <u>. </u> | | | Body | | <u>. </u> | | | Body | | <u>. </u> | |
| Size, Valve type, Fluid | material, Port size | Voltage, Electrical entry, Electrical options | Other options | With bracket | Size, Valve typ Fluid | | Voltage, Electrical entry, Electrical options | Other options | With bracket | Size, Valve type Fluid | motorial | Voltage, Electrical entry, Electrical options | Other options | With bracket |
| VX214 | | Α | Nil | Nil | VX22 | | Α | Nil | Nil | VX234 | | Α | Nil | Nil |
| | В | В | Α | XC* | | В | В | Α | XC* | | В | В | Α | XC* |
| | С | С | В | XB* | | D | С | В | XB* | | С | С | В | XB* |
| | D | D | | XNB* | | E | D | | XNB* | | D | D | | XNB* |
| | E | E | | X332* | | Н | E |] | X332* | | E | E |] | X332* |
| | F | F | | | | J | F | | | | F | F | Note) Bo | dy material/ |
| | Н | M | | | | L | М | | | | G Note) | М | Port si | ze: Since |
| | J | N | | | | M | N | | | | Н | N | | racket" |
| | K | P | | | | | P |] | | | J | P | | j is not ed on G |
| | L | Q | | | | | Q | | | | K | Q | and P | |
| | M | R | | | | | R | | | | L | R | canno | t be |
| | N | S | | | | | S | | | | М | S | select | ed. |
| | | T | | | | | T | | | | N | T | | |
| | | U | | | | | U | | | | P Note) | U | | |
| | | V | | | | | V | | | | | V | | |
| | | W | | | | | W | | | | | W | | |
| | | Υ | ļ | | | | Y | | | | | Υ | ļ | |
| | | Z1A | | | | | Z1A | | | | | Z1A | | |
| | | Z1B | | | | | Z1B | ļ | | | | Z1B | ļ | |
| | | Z1C | ļ | | | | Z1C | | | | | Z1C | ļ | |
| | | Z1U | | | | | Z1U | | | | | Z1U | | |
| | | Z1D | | | | | Z1D | | | | | Z1D | | |
| | | Z1E | | | | | Z1E | | | | | Z1E | | |
| | | Z1K | | | | | Z1K | 1 | | | | Z1K | | |
| | | Z1L | | | | | Z1L | | | | | Z1L | | |
| | | Z1M | | | | | Z1M | | | | | Z1M | | |
| | | Z1W | | | | | Z1W | | | | | Z1W | | |
| | | Z1N | | | | | Z1N | | | | | Z1N | | |
| | | Z1P | ļ | | | | Z1P | | | | | Z1P | ļ | |
| | | Z1Q | ļ | | | | Z1Q | | | | | Z1Q | | |
| | | Z1R | | | | | Z1R | - | | | | Z1R | - | |
| | | Z1Y | ļ | | | | Z1Y | ļ | | | | Z1Y | ļ | |
| | | Z1S Z1T | | | | | Z1S Z1T | - | | | | Z1S Z1T | - | |
| | | Z2K | - | | | | Z2K | 1 | | | | Z2K | - | |
| | | Z2K Z2L | | | | | Z2L | - | | | | Z2K Z2L | - | |
| | | Z2L Z2M | - | | | | Z2L Z2M | - | | | | Z2L Z2M | - | |
| | | Z2N | - | | | | Z2N | 1 | | | | Z2N | - | |
| | | Z2P | | | | | Z2P | - | | | | Z2P | - | |
| | | Z2Q | - | | | | Z2Q | 1 | | | | Z2Q | - | |
| | | Z2R | | | | | Z2R | 1 | | | | Z2R | - | |
| | | Z2S | 1 | | | | Z2S | 1 | | | | Z2S | 1 | |
| | | Z2W | | | | | Z2W | 1 | | | | Z2W | 1 | |
| | | Z2T | | | | | Z2T | 1 | | | | Z2T | 1 | |
| | | Z3A | | | | | Z3A | | | | | Z3A | | |
| | | Z3B | | | | | Z3B | 1 | | | | Z3B | 1 | |
| | | Z3C | | | | | Z3C | 1 | | | | Z3C | 1 | |
| | | Z3D | | | | | Z3D | | | | | Z3D | | |
| | | Z3E | | | | | Z3E | 1 | | | | Z3E | 1 | |
| | | Z3F | | | | | Z3F | 1 | | | | Z3F | 1 | |
| | | Z3G | | | | | Z3G | 1 | | | | Z3G | 1 | |

Z3J Refer to pages 49 to 51 for electrical options, other options, and bracket/electrical entry direction.

Z3H

Z3V

Z3H

Z3V

Z3J



Z3H

Z3V

Z3J

UL-compliant VX21/22/23 Series

| | | | | | _ | | | For Oil | | | | | | | | |
|-------|---------------------------|---|---------------|--------------|---|-------------------------------|---------------------------|---|---------------|--------------|---|-------------------------------|---------------------------|---|---------------|-------------------|
| /X213 | Valv | e type: N. | С. | | | VX223 | Valv | e type: N. | С. | | | VX233 | Valv | e type: N. | c. | |
| Size | Body material, Port | Voltage, Electrical entry, Electrical options | Other options | With bracket | | Size, Valve type, Fluid | Body material, Port | Voltage, Electrical entry, Electrical options | Other options | With bracket | | Size, Valve type, Fluid | Body material, Port | Voltage, Electrical entry, Electrical options | Other options | With bracket |
| /X213 | size | A | Nil | Nil | | VX223 | size | Α | Nil | Nil | | VX233 | size A | Α | Nil | Nil |
| | В | В | A | XC* | | 171220 | В | В | A | XC* | | 171200 | В | В | A | XC* |
| | C | C | В | XB* | | | D | C | В | XB* | | | C | C | В | XB* |
| | D | D | D | XNB* | | | E | D | D | XNB* | | | D | D | D | XNB* |
| l | E | Е | E | | ' | | Н | E | E | | ' | | E | Е | E | |
| | F | F | Z | 1 | | | J | F | Z | | | | F | F | Z | |
| l | Н | М | | • | | | L | М | | • | | | G Note) | М | Note) Boo | ly material/ |
| | J | N | | | | | M | N | | | | | Н | N | | ze: Since |
| | K | P | | | | | | Р | | | | | J | P | | racket" |
| | L | Q | | | | | | Q | | | | | K | Q | setting | is not ed on G |
| | M | R | | | | | | R | | | | | L | R | and P, | |
| Į | N | S | | | | | | S | | | | | M | S | cannot | |
| | | T | | | | | | T | | | | | N | T | selecte | ed. |
| | | U | | | | | | U | | | | | P Note) | U | | |
| | | V | | | | | | V | | | | | | V | | |
| | | W | | | | | | W | | | | | | W | | |
| | | Y 71.0 | | | | | | Y 71.0 | | | | | | Y 71.0 | | |
| | | Z1A Z1B | | | | | | Z1A Z1B | | | | | | Z1A Z1B | | |
| | | Z1C | | | | | | Z1C | | | | | | Z1C | | |
| | | Z1U | | | | | | Z1U | | | | | | Z1U | | |
| | | Z1D | | | | | | Z1D | | | | | | Z1D | | |
| | | Z1E | | | | | | Z1E | | | | | | Z1E | | |
| | | Z1K | | | | | | Z1K | | | | | | Z1K | | |
| | | Z1L | | | | | | Z1L | | | | | | Z1L | | |
| | | Z1M | | | | | | Z1M | | | | | | Z1M | | |
| | | Z1W | | | | | | Z1W | | | | | | Z1W | | |
| | | Z1N | | | | | | Z1N | | | | | | Z1N | | |
| | | Z1P | | | | | | Z1P | | | | | | Z1P | | |
| | | Z1Q | | | | | | Z1Q | | | | | | Z1Q | | |
| | | Z1R | | | | | | Z1R | | | | | | Z1R | | |
| | | Z1Y | | | | | | Z1Y | | | | | | Z1Y | | |
| | | Z1S | | | | | | Z1S | | | | | | Z1S | | |
| | | Z1T | | | | | | Z1T | | | | | | Z1T | | |
| | | Z2K | | | | | | Z2K | | | | | | Z2K | | |
| | | Z2L | | | | | | Z2L | | | | | | Z2L | | |
| | | Z2M | | | | | | Z2M Z2N | | | | | | Z2M Z2N | | |
| | | Z2N Z2P | | | | | | Z2N Z2P | | | | | | Z2N Z2P | | |
| | | Z2P Z2Q | | | | | | Z2P Z2Q | | | | | | Z2P Z2Q | | |
| | | Z2R | | | | | | Z2R | | | | | | Z2R | | |
| | | Z2S | | | | | | Z2S | | | | | | Z2S | | |
| | | Z2W | | | | | | Z2W | | | | | | Z2W | | |
| | | Z2T | | | | | | Z2T | | | | | | Z2T | | |
| | | Z3A | | | | | | Z3A | | | | | | Z3A | | |
| | | Z3B | | | | | | Z3B | | | | | | Z3B | | |
| | | Z3C | | | | | | Z3C | | | | | | Z3C | | |
| | | Z3D | | | | | | Z3D | | | | | | Z3D | | |
| | | Z3E | | | | | | Z3E | | | | | | Z3E | | |
| | | Z3F | | | | | | Z3F | | | | | | Z3F | | |
| | | Z3G | | | | | | Z3G | | | | | | Z3G | | |
| | | Z3H | | | | | | Z3H | | | | | | Z3H | | |
| | | 721/ | | | | | | 701/ | 1 | | | | | 701/ | | |

Z3J Refer to pages 49 to 51 for electrical options, other options, and bracket/electrical entry direction.

Z3V

Z3V

Z3J



VX2

VXK VXD

VXZ

VXS

VXB VXE

VXP

VXR VXH

VXF VX3

VXA


Z3V

Z3J

Construction/Single Unit

Normally Closed (N.C.)


Body material: Aluminum, C37, Stainless steel



Component Parts

| No. | Description | Material | | | | | | |
|-----|-------------------|--------------------------------|--|--|--|--|--|--|
| 1 | Solenoid coil | Cu + Fe + Resin | | | | | | |
| 2 | Core | Fe | | | | | | |
| 3 | Tube | Stainless steel | | | | | | |
| 4 | Spring | Stainless steel | | | | | | |
| 5 | Armature assembly | NBR, FKM, Stainless steel, PPS | | | | | | |
| 6 | Seal | NBR, FKM | | | | | | |
| 7 | Body | Aluminum, C37, Stainless steel | | | | | | |
| | | | | | | | | |


Body material: Resin



Component Parts

| No. | Description | Material | | | | | |
|-----|-------------------|--------------------------------|--|--|--|--|--|
| 1 | Solenoid coil | Cu + Fe + Resin | | | | | |
| 2 | Core | Fe | | | | | |
| 3 | Tube | Stainless steel | | | | | |
| 4 | Spring | Stainless steel | | | | | |
| 5 | Armature assembly | NBR, FKM, Stainless steel, PPS | | | | | |
| 6 | Seal | NBR, FKM | | | | | |
| 7 | Body | Resin (PBT) | | | | | |
| | | | | | | | |


Normally Open (N.O.) Body material: Aluminum, C37, Stainless steel



Component Parts

| No. | Description | Material |
|-----|-------------------|--|
| 1 | Solenoid coil | Cu + Fe + Resin |
| 2 | Sleeve assembly | Stainless steel, Resin (PPS) |
| 3 | Push rod assembly | Resin (PPS), Stainless steel, NBR, FKM |
| 4 | Spring | Stainless steel |
| 5 | O-ring A | NBR, FKM |
| 6 | O-ring B | NBR, FKM |
| 7 | Adapter | Resin (PPS) |
| 8 | O-ring C | NBR, FKM |
| 9 | Body | Aluminum, C37, Stainless steel |


Body material: Resin



Component Parts

| No. | Description | Material | | | | | | | | |
|-----|-------------------|--|--|--|--|--|--|--|--|--|
| 1 | Solenoid coil | Cu + Fe + Resin | | | | | | | | |
| 2 | Sleeve assembly | Stainless steel, Resin (PPS) | | | | | | | | |
| 3 | Push rod assembly | Resin (PPS), Stainless steel, NBR, FKM | | | | | | | | |
| 4 | Spring | Stainless steel | | | | | | | | |
| 5 | O-ring A | NBR, FKM | | | | | | | | |
| 6 | O-ring B | NBR, FKM | | | | | | | | |
| 7 | Adapter | Resin (PPS) | | | | | | | | |
| 8 | O-ring C | NBR, FKM | | | | | | | | |
| 9 | Body | Resin (PBT) | | | | | | | | |

Construction/Manifold



Individual SUP type (for medium vacuum)

VX2 VXK VXD


VXZ

VXS

VXB

VXE VXP

VXR VXH VXF VX3




Component Parts

| No. | Description | Material |
|-----|-------------------|--------------------------------|
| 1 | Solenoid coil | Cu + Fe + Resin |
| 2 | Core | Fe |
| 3 | Tube | Stainless steel |
| 4 | Spring | Stainless steel |
| 5 | Armature assembly | NBR, FKM, Stainless steel, PPS |
| 6 | Seal | NBR, FKM |
| 7 | Body | Resin (PPS) |
| 8 | Gasket | NBR, FKM |
| -0 | Bace | Aluminum |

IN port

Normally Open (N.O.)


Base material: Aluminum Common SUP type (for air)



Component Parts

| No. | Description | Material |
|-----|-------------------|--|
| 1 | Solenoid coil | Cu + Fe + Resin |
| 2 | Sleeve assembly | Stainless steel, Resin (PPS) |
| 3 | Push rod assembly | Resin (PPS), Stainless steel, NBR, FKM |
| 4 | Spring | Stainless steel |
| 5 | O-ring A | NBR, FKM |
| 6 | O-ring B | NBR, FKM |

Individual SUP type (for medium vacuum)




| No. | Description | Material |
|-----|-------------|-------------|
| 7 | Adapter | Resin (PPS) |
| 8 | O-ring C | NBR, FKM |
| 9 | Body | Resin (PPS) |
| 10 | Gasket | NBR, FKM |
| 11 | Base | Aluminum |





Dimensions/Body Material: Aluminum


Grommet


Grommet (with surge voltage suppressor)















DIN terminal

Conduit terminal



| | | | | | | | | | | | | | (mm) | | |
|------|-----------|-----|----|----------------|---------|----|-----|------|-----------------------------|----|----|----|------|--|--|
| Size | Port size | Α | В | B ₁ | _ | D | _ | _ | Mounting bracket dimensions | | | | | | |
| Size | P | _ A | P | Di | Ü | | | Г | M | U | W | Х | Υ | | |
| 1 | 1/8, 1/4 | 19 | 43 | 21 | 61 (67) | 30 | 9.5 | 20 | 12.8 | 46 | 36 | 11 | 6 | | |
| 2 | 1/4, 3/8 | 24 | 45 | 22.5 | 76 (84) | 35 | 12 | 22 | 19 | 56 | 46 | 13 | 7 | | |
| | 1/4, 3/8 | 24 | 45 | 22.5 | 81 (89) | 40 | 12 | 24.5 | 19 | 56 | 46 | 13 | 7 | | |
| 3 | 1/2 | 30 | 50 | 25 | 86.5 | 40 | 15 | 24.5 | | | | | | | |


| | | | Electrical entry | | | | | | | | | | | |
|------|-----------|------|------------------|------|-----------------------------|------|--------------|------|------------------|-----------|------|----------|--|--|
| Size | Port size | (| Grommet | | Grommet voltage suppressor) | | DIN terminal | | Conduit terminal | | | | | |
| | | Q | R | Q | R | Q | R | S | Q | R | S | Т | | |
| 1 | 1/8, 1/4 | 27 | 42 (47.5) | 30 | 28.5 (34) | 64.5 | 34 (39.5) | 52.5 | 99.5 | 36 (41.5) | 68.5 | 77 (83) | | |
| 2 | 1/4, 3/8 | 29.5 | 53.5 (61.5) | 32.5 | 39.5 (47.5) | 67 | 45 (53) | 55 | 102 | 47 (55) | 71 | 91 (99) | | |
| 3 | 1/4, 3/8 | 32 | 58 (66) | 35 | 44.5 (52.5) | 69.5 | 50 (58) | 57.5 | 104.5 | 52 (60) | 73.5 | 96 (104) | | |
| 3 | 1/2 | 32 | 61 | 35 | 47.5 | 69.5 | 53 | 57.5 | 104.5 | 55 | 73.5 | 101.5 | | |


^{():} Denotes the Normally Open (N.O.) dimensions.




Dimensions/Body Material: Aluminum


Conduit







Flat terminal type









VXE VXP VXR

VX2 VXK

VXD

VXZ

VXS

VXB

VXH VXF VX3

VXA

| Size | Port size | | В | B ₁ | • | D | _ | _ | M | lounting | bracket c | dimensio | ns |
|------|-----------|----|----|----------------|---------|-----|-----|------|------|----------|-----------|----------|----|
| Size | P | A | - | ы | C | ן ט | | | М | U | W | Х | Y |
| 1 | 1/8, 1/4 | 19 | 43 | 21 | 61 (67) | 30 | 9.5 | 20 | 12.8 | 46 | 36 | 11 | 6 |
| 2 | 1/4, 3/8 | 24 | 45 | 22.5 | 76 (84) | 35 | 12 | 22 | 19 | 56 | 46 | 13 | 7 |
| | 1/4, 3/8 | 24 | 45 | 22.5 | 81 (89) | 40 | 12 | 24.5 | 19 | 56 | 46 | 13 | 7 |
| 3 | 1/2 | 30 | 50 | 25 | 86.5 | 40 | 15 | 24.5 | _ | _ | _ | _ | _ |


| | | | Electrical entry | | | | | | | | | |
|------|-----------|------|------------------|--------------------|-------------|--|--|--|--|--|--|--|
| Size | Port size | | Conduit | Flat terminal type | | | | | | | | |
| | P | Q | R | Q | R | | | | | | | |
| 1 | 1/8, 1/4 | 47.5 | 36 (41.5) | 23 | 42 (47.5) | | | | | | | |
| 2 | 1/4, 3/8 | 50 | 47 (55) | 25.5 | 53.5 (61.5) | | | | | | | |
| 3 | 1/4, 3/8 | 52.5 | 52 (60) | 28 | 58 (66) | | | | | | | |
| 3 | 1/2 | 52.5 | 55 | 28 | 61 | | | | | | | |

^{():} Denotes the Normally Open (N.O.) dimensions.





Dimensions/Body Material: Resin



For information on handling One-touch fittings and on appropriate tubing, refer to page 76 and the Fittings & Tubing section of the "Handling Precautions for SMC Products" on the SMC website.

| | | | Electrical errity | | | | | | | | | | |
|----|----------------------------|---|-------------------|------|-----------|-------------|-------------|------------------|-------|-------------|------|--------------|--|
| Si | One-touch fitting P | Grommet Grommet (with surge voltage suppressor) | | | | DIN termina | ı | Conduit terminal | | | | | |
| | | Q | R | Q | R | Q | QR | | Q | R | S | Т | |
| | ø6, ø8 | 27 | 42.5 (48) | 30 | 29 (34.5) | 64.5 | 34.5 (40) | 52.5 | 99.5 | 36.5 (42) | 68.5 | 81.5 (87) | |
| 2 | g8, ø10 | 29.5 | 51 (59) | 32.5 | 37 (45) | 67 | 43 (50.5) | 55 | 102 | 45 (52.5) | 71 | 91.5 (99.5) | |
| | ø10, ø12 | 32 | 56.5 (64.5) | 35 | 43 (51) | 69.5 | 48.5 (56.5) | 57.5 | 104.5 | 50.5 (58.5) | 73.5 | 98.5 (106.5) | |

16.5 24.5

58 29

40

31

67

33.5

40

68

37

3

ø10, ø12

84 (92)

^{():} Denotes the Normally Open (N.O.) dimensions.



VXK VXD

VXZ

VXS VXB


VXE VXP

VXR VXH

VXF

VX3


Dimensions/Body Material: Resin



| | | | | | | | | | | | | | | | | | (mm) | | | | | | | | | | | |
|------|------------------|------|----|-------------|-------|------|-------|----|---------|--------|---------|------------|-----|------|-------------|-----------------------------|-------------|--|--|--|--|--|--|---|---------|--|---------------|--|
| | One-touch | | | | | | | | Mountir | a broo | kat dim | onciona | , | | Electric | al entry | , | | | | | | | | | | | |
| Size | | В | B₁ | С | D E | DE |) E | | D E | E | EF | E F | E F | E | | Mounting bracket dimensions | | | | | | | | • | Conduit | | Flat terminal | |
| OIZC | fitting P | | | | | | | U | U₁ | W | X | X 1 | Υ | Q | R | Q | R | | | | | | | | | | | |
| 1 | ø6, ø8 | 53.5 | 29 | 65.5 (71.5) | 30 | 13.5 | 20 | 45 | 22.5 | 22 | 52 | 26 | 30 | 47.5 | 36.5 (42) | 23 | 42.5 (48) | | | | | | | | | | | |
| 2 | ø8, ø10 | 66 | 36 | 76.5 (84.5) | 35 | 15 | 22 | 53 | 26.5 | 27 | 62 | 31 | 35 | 50 | 45 (52.5) | 25.5 | 51 (59) | | | | | | | | | | | |
| 3 | ø10. ø12 | 68 | 37 | 84 (92) | 40 | 16.5 | 24.5 | 58 | 29 | 31 | 67 | 33.5 | 40 | 52.5 | 50.5 (58.5) | 28 | 56.5 (64.5) | | | | | | | | | | | |


^{():} Denotes the Normally Open (N.O.) dimensions.


SMC



Dimensions/Body Material: C37, Stainless Steel


Grommet









Grommet (with surge voltage suppressor)









DIN terminal









Mounting

Conduit terminal





| | | | | | | | | | (mm) | | | | | |
|------|-----------|------|----------|--------------------------|-------------|-----|------|-----------------------------|------|----|----|----|---|--|
| Size | Port size | | В | B B ₁ C D E F | | | M | Mounting bracket dimensions | | | | | | |
| Size | P | Α . | ₽ | D1 | L C | ן ט | _ | 「 | М | U | W | Х | Υ | |
| 1 | 1/8, 1/4 | 19 | 43 | 21 | 61 (67) | 30 | 9.5 | 20 | 12.8 | 46 | 36 | 11 | 6 | |
| 2 | 1/4, 3/8 | 22 | 45 | 22.5 | 74.5 (82.5) | 35 | 10.5 | 22 | 19 | 56 | 46 | 13 | 7 | |
| 3 | 1/4, 3/8 | 22 | 45 | 22.5 | 79 (87) | 40 | 10.5 | 24.5 | 19 | 56 | 46 | 13 | 7 | |
| | 1/2 | 29.5 | 50 | 25 | 85.5 | 40 | 14 | 24.5 | _ | _ | _ | _ | _ | |

| Size | Port size | Electrical entry | | | | | | | | | | |
|------|-----------|------------------|-------------|--|-------------|--------------|-------------|------|------------------|-------------|------|-------------|
| | | Grommet | | Grommet (with surge voltage suppressor) | | DIN terminal | | | Conduit terminal | | | |
| | | Q | R | Q | R | Q | R | S | Q | R | S | T |
| 1 | 1/8, 1/4 | 27 | 42 (47.5) | 30 | 28.5 (34) | 64.5 | 34 (39.5) | 52.5 | 99.5 | 36 (41.5) | 68.5 | 77 (83) |
| 2 | 1/4, 3/8 | 29.5 | 53.5 (61.5) | 32.5 | 39.5 (47.5) | 67 | 45 (53) | 55 | 102 | 47 (55) | 71 | 89.5 (97.5) |
| 3 | 1/4, 3/8 | 32 | 57.5 (65.5) | 35 | 44 (52) | 69.5 | 49.5 (57.5) | 57.5 | 104.5 | 51.5 (59.5) | 73.5 | 94 (102) |
| | 1/2 | 32 | 61 | 35 | 47.5 | 69.5 | 53 | 57.5 | 104.5 | 55 | 73.5 | 100.5 |

^{():} Denotes the Normally Open (N.O.) dimensions.

Direct Operated 2 Port Solenoid Valve VX21/22/23 Series



VX2 VXK

VXD VXZ VXS

VXB

VXE

VXP VXR

VXH

VXF VX3 VXA


Dimensions/Body Material: C37, Stainless Steel

2 x ø5.3


Mounting

hole


Conduit










Flat terminal









| | | | | | | | | | | | | | (mm) |
|------|-----------|------|----|----------------|-------------|----|------|------|------|-----------|-----------|----------|------|
| Size | Port size | | ь | B ₁ | _ | _ | _ | _ | M | ounting I | bracket o | dimensio | ns |
| Size | P | A | В | D1 | C | D | - | г | M | U | W | Х | Υ |
| 1 | 1/8, 1/4 | 19 | 43 | 21 | 61 (67) | 30 | 9.5 | 20 | 12.8 | 46 | 36 | 11 | 6 |
| 2 | 1/4, 3/8 | 22 | 45 | 22.5 | 74.5 (82.5) | 35 | 10.5 | 22 | 19 | 56 | 46 | 13 | 7 |
| 3 | 1/4, 3/8 | 22 | 45 | 22.5 | 79 (87) | 40 | 10.5 | 24.5 | 19 | 56 | 46 | 13 | 7 |
| | 1/2 | 29.5 | 50 | 25 | 85.5 | 40 | 14 | 24.5 | _ | _ | _ | _ | _ |

| | Port size | | Electric | al entry | | |
|------|-----------|------|-------------|---------------|-------------|--|
| Size | Port Size | | Conduit | Flat terminal | | |
| | • | Q | R | Q | R | |
| 1 | 1/8, 1/4 | 47.5 | 36 (41.5) | 23 | 42 (47.5) | |
| 2 | 1/4, 3/8 | 50 | 47 (55) | 25.5 | 53.5 (61.5) | |
| 3 | 1/4, 3/8 | 52.5 | 51.5 (59.5) | 28 | 57.5 (65.5) | |
| 3 | 1/2 | 52.5 | 55 | 28 | 61 | |

^{():} Denotes the Normally Open (N.O.) dimensions.



Dimensions/Body Material: C37, Stainless Steel

Grommet Conduit terminal Q = 300Q±2 = 40 (42)32 E O œ For steam and heated water With full-wave rectifier (AC type only) **S**±2 Вı В В Port size Port size 2 x ø5.3 Mounting Mounting hole hole Conduit **DIN terminal** Q Cable ø6 to ø12 Q s = 280 G1/2 G1/2 D = <u>45</u> (42)œ For steam and heated water Œ With full-wave rectifier (AC type only) В В ш > 2 x P Port size Port size 2 x ø5.3 Mounting 2 x ø5.3 hole Mounting hole (mm) Port size Mounting bracket dimensions Size Α В В С D Е F М U W 1 1/8, 1/4 19 43 21 61 (67) 30 9.5 20 12.8 46 36 11 6 1/4, 3/8 2 22 45 22.5 74.5 (82.5) 35 10.5 22 19 56 46 13 7 1/4, 3/8 22 45 22.5 79 (87) 40 10.5 24.5 19 56 46 13 7 3 1/2 29.5 50 25 85.5 40 14 24.5 Electrical entry Port size Size Conduit terminal DIN terminal

Q

29.5

27

Р

1/8, 1/4

1/4, 3/8

1/4, 3/8

1/2

Grommet

R

42 (47.5)

53.5 (61.5)

57.5 (65.5)

61

Q

110.5

108

113

R

36 (41.5)

47 (55)

51.5 (59.5)

s

79.5

77

82

82

Conduit

36 (41.5)

47 (55)

51.5 (59.5)

55

Q

64.5

69.5

69.5

67

R

34 (39.5)

45 (53)

49.5 (57.5)

53

s 52.5

55

57.5

57.5

Q

47.5

50

52.5

52.5

77 (83)

89.5 (97.5)

94 (102)

100.5

1

2

³² (): Denotes the Normally Open (N.O.) dimensions.

Flat terminal is not available for valves for steam and heated water.

Direct Operated 2 Port Solenoid Valve VX21/22/23 Series




VXH

VXF


VX3

VXA

Dimensions/Manifold/Base Material: Aluminum



side Stations 1 2 3 4 5 6 7 U side



OUT port (For common SUP type)
IN port (For individual SUP type)

| | | | | | | | | | | (mm) |
|------|----------------|-----|-----|-----|-----|----------|-----|-----|-----|------|
| Size | Dimensione | | | | n | (statior | ıs) | | | |
| Size | Dimensions | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 1 | L ₁ | 86 | 122 | 158 | 194 | 230 | 266 | 302 | 338 | 374 |
| • | L ₂ | 100 | 136 | 172 | 208 | 244 | 280 | 316 | 352 | 388 |
| 2 | L ₁ | 90 | 126 | 162 | 198 | 234 | 270 | 306 | 342 | 378 |
| | L ₂ | 108 | 144 | 180 | 216 | 252 | 288 | 324 | 360 | 396 |
| 3 | L ₁ | 103 | 144 | 185 | 226 | 267 | 308 | 349 | 390 | 431 |
| 3 | L ₂ | 121 | 162 | 203 | 244 | 285 | 326 | 367 | 408 | 449 |

| Size | Α | В | С | D | E | F | Н | J | K | M | N | Р |
|------|----|------|------|----|----|----|------|----|-----|-----|-------------|-----|
| 1 | 38 | 15.5 | 10.5 | 11 | 25 | 32 | 20 | 12 | 7 | 6.5 | 50.5 (56.5) | 36 |
| 2 | 49 | 18 | 13 | 13 | 30 | 36 | 22 | 15 | 9 | 8.5 | 60.5 (68.5) | 36 |
| -3 | 49 | 20.5 | 13 | 13 | 30 | 40 | 24.5 | 15 | a . | 8.5 | 65.5 (73.5) | //1 |

| Size | G | rommet | | et (With surge e suppressor) | DIN terminal* | | Conduit terminal | | | Conduit | | Flat terminal | | | |
|------|----------------|----------------|----------------|---------------------------------|---------------|-------------|------------------|----------------|----------------|----------------|-------------|----------------|----------------|----------------|----------------|
| | Q ₁ | R ₁ | Q ₂ | R ₂ | Qз | Rз | S ₁ | Q ₄ | R ₄ | S ₂ | Т | Q ₅ | R ₅ | Q ₆ | R ₆ |
| 1 | 27 | 40.5 (46.5) | 30 | 27 (33) | 64.5 | 32.5 (38.5) | 52.5 | 99.5 | 34.5 (40.5) | 68.5 | 66.5 (72) | 47.5 | 34.5 (40.5) | 23 | 40.5 (46.5) |
| 2 | 29.5 | 49.5 (57.5) | 32.5 | 36 (44) | 67 | 41.5 (49.5) | 55 | 102 | 43.5 (51.5) | 71 | 75.5 (83.5) | 50 | 43.5 (51.5) | 25.5 | 49.5 (57.5) |
| 3 | 32 | 54.5 (63) | 35 | 41 (49) | 69.5 | 46.5 (54.5) | 57.5 | 104.5 | 48.5 (56.5) | 73.5 | 80.5 (89.5) | 52.5 | 48.5 (56.5) | 28 | 54.5 (63) |

^{():} Denotes the Normally Open (N.O.) dimensions.

^{*} When using a DIN terminal that faces downward, be careful of interference in the electrical wires and piping.





Replacement Parts

DIN Connector Part No.



<For Class B Coil>

| Electrical option | Rated voltage | Connector part no. |
|-------------------|---------------|--------------------|
| Licotriodi Option | 24 VDC | Connector part no. |
| | | |
| | 12 VDC | |
| | 100 VAC | |
| | 110 VAC | |
| None | 200 VAC | 3G-GDM2A-G |
| None | 220 VAC | 3G-GDIVIZA-G |
| | 230 VAC | |
| | 240 VAC | |
| | 24 VAC | |
| | 48 VAC | |
| | 24 VDC | GDM2A-L5 |
| | 12 VDC | GDM2A-L6 |
| | 100 VAC | GDM2A-L1 |
| | 110 VAC | GDM2A-L1 |
| With light | 200 VAC | GDM2A-L2 |
| with light | 220 VAC | GDM2A-L2 |
| | 230 VAC | GDM2A-L2 |
| | 240 VAC | GDM2A-L2 |
| | 24 VAC | GDM2A-L5 |
| | 48 VAC | GDM2A-L15 |

<For Class H Coil>

| CFOF Class in Coll> | | | | | | | |
|---------------------|---------------|--------------------|--|--|--|--|--|
| Electrical option | Rated voltage | Connector part no. | | | | | |
| | 24 VDC | GDM2A-G-S5 | | | | | |
| | 100 VAC | | | | | | |
| | 110 VAC | | | | | | |
| | 200 VAC | | | | | | |
| None | 220 VAC | GDM2A-R | | | | | |
| | 230 VAC | GDIVIZA-N | | | | | |
| | 240 VAC | | | | | | |
| | 24 VAC | | | | | | |
| | 48 VAC | | | | | | |
| | 24 VDC | GDM2A-G-Z5 | | | | | |
| | 100 VAC | GDM2A-R-L1 | | | | | |
| | 110 VAC | GDM2A-R-L1 | | | | | |
| | 200 VAC | GDM2A-R-L2 | | | | | |
| With light | 220 VAC | GDM2A-R-L2 | | | | | |
| | 230 VAC | GDM2A-R-L2 | | | | | |
| | 240 VAC | GDM2A-R-L2 | | | | | |
| | 24 VAC | GDM2A-R-L5 | | | | | |
| | 48 VAC | GDM2A-R-L5 | | | | | |

^{*} Select an appropriate DIN connector suitable for the coil insulation type.

For Air, Medium Vacuum, Water, Oil and Steam


Gasket Part No. for DIN Connector

VCW20-1-29-1 (For Class B Coil) VCW20-1-29-1-F (For Class H Coil)

 Lead Wire Assembly for Flat Terminal (Set of 2 pcs.)

VX021S-1-16FB

• Bracket Assembly Part No. (for Metal Body)



- * 2 mounting screws are shipped together with the bracket assembly.
- * On the bottom side of the standard body, there is no female thread for mounting a bracket. Please select XNB□.

Glossary of Terms

Pressure Terminology

1. Maximum operating pressure differential

The maximum pressure differential (the difference between the inlet and outlet pressure) which is allowed for operation. When the outlet pressure is 0 MPa, this becomes the maximum operating pressure.

2. Minimum operating pressure differential

The minimum pressure differential (the difference between the inlet pressure and outlet pressure) required to keep the main valve fully open.

3. Maximum system pressure

The maximum pressure that can be applied inside the pipelines (line pressure).

[The pressure differential of the solenoid valve portion must not exceed the maximum operating pressure differential.]

4. Withstand pressure

The pressure in which the valve must be withstood without a drop in performance after holding for one minute under prescribed pressure and returning to the operating pressure range. [value under the prescribed conditions]

Electrical Terminology

1. Apparent power (VA)

Volt-ampere is the product of voltage (V) and current (A). Power consumption (W): For AC, W = V·A·cos θ .

For DC, $W = V \cdot A$.

Note) $\cos \theta$ shows power factor. $\cos \theta \approx 0.9$


2. Surge voltage

A high voltage which is momentarily generated by shutting off the power in the shut-off area.

3. Degree of protection

A degree defined in the "JIS C 0920: Waterproof test of electric machinery/appliance and the degree of protection against the intrusion of solid foreign objects."

Verify the degree of protection for each product.



●First Characteristics:

Degrees of protection against solid foreign objects

| | | egrees or protection against solid foreign objects |
|---|---|--|
| | 0 | Non-protected |
| | 1 | Protected against solid foreign objects of 50 mmø and greater |
| | 2 | Protected against solid foreign objects of 12 mmø and greater |
| | 3 | Protected against solid foreign objects of 2.5 mmø and greater |
| | 4 | Protected against solid foreign objects of 1.0 mmø and greater |
| | 5 | Dust-protected |
| ſ | 6 | Dust-tight Dust-tight |

Electrical Terminology

Second Characteristics:

Degrees of protection against water

| 0 | Non-protected | _ |
|---|--|-------------------------------|
| 1 | Protected against vertically falling water drops | Dripproof type 1 |
| 2 | Protected against vertically falling water drops when enclosure tilted up to 15° | Dripproof type 2 |
| 3 | Protected against rainfall when enclosure tilted up to 60° | Rainproof type |
| 4 | Protected against splashing water | Splashproof type |
| 5 | Protected against water jets | Water-jet-proof type |
| 6 | Protected against powerful water jets | Powerful water-jet-proof type |
| 7 | Protected against the effects of temporary immersion in water | Immersible type |
| 8 | Protected against the effects of continuous immersion in water | Submersible type |
| | | |

Example) IP65: Dust-tight, Water-jet-proof type

"Water-jet-proof type" means that no water intrudes inside an equipment that could hinder from operating normally by means of applying water for 3 minutes in the prescribed manner. Take appropriate protection measures, since a device is not usable in an environment where a droplet of water is splashed constantly.

Others

1. Material

NBR: Nitrile rubber FKM: Fluororubber

EPDM: Ethylene propylene rubber

2. Oil-free treatment


The degreasing and washing of wetted parts

3. Symbol

In the symbol (r[1], w), when the valve is closed, flow is blocked from port 1 to port 2. However, if the pressure in port 2 is higher than port 1, the valve will not be able to block the fluid and it will flow from port 2 to port 1.

Flat Terminal

Flat terminal/Electrical connection size of molded coil





VX2

VXK VXD

VXZ

VXB VXE

VXP

VXH

VXF

VX3

Solenoid Valve Flow Rate Characteristics

(How to indicate flow rate characteristics)

1. Indication of flow rate characteristics

The flow rate characteristics in equipment such as a solenoid valve, etc. are indicated in their specifications as shown in Table (1).

Table (1) Indication of Flow Rate Characteristics

| Corresponding equipment | Indication by international standard | Other indications | Conformed standard |
|-------------------------|--------------------------------------|-------------------|---|
| B | C, b | _ | ISO 6358: 1989 JIS B 8390: 2000 |
| Pneumatic equipment | _ | s | JIS B 8390: 2000 Equipment: JIS B 8379, 8381-1, 8381-2 |
| | | Cv | ANSI/(NFPA)T3.21.3 R1-2008 |
| Process fluid control | Kv | _ | IEC60534-1: 2005 IEC60534-2-3: 1997 JIS B 2005-1: 2012 |
| equipment | _ | Cv | JIS B 2005-1: 2012 JIS B 2005-2-3: 2004 Equipment: JIS B 8471, 8472, 8473 |

2. Pneumatic equipment

- 2.1 Indication according to the international standards
- (1) Conformed standard

ISO 6358: 1989 : Pneumatic fluid power—Components using compressible fluids—

Determination of flow rate characteristics

JIS B 8390: 2000 : Pneumatic fluid power—Components using compressible fluids—

- How to test flow rate characteristics
- (2) Definition of flow rate characteristics

The flow rate characteristics are indicated as a result of a comparison between sonic conductance C and critical pressure ratio b.

Sonic conductance C: Value which divides the passing mass flow rate of an equipment in a choked flow condition by the product of the upstream absolute pressure and the density in a standard condition.

Critical pressure ratio **b**: Pressure ratio (downstream pressure/upstream pressure) which will turn to a choked

flow when the value is smaller than this ratio.

Choked flow : The flow in which the upstream pressure is higher than the downstream pressure and where sonic speed in a certain part of an equipment is reached.

Gaseous mass flow rate is in proportion to the upstream pressure and not dependent

on the downstream pressure.

Subsonic flow : Flow greater than the critical pressure ratio

Standard condition : Air in a temperature state of 20°C, absolute pressure 0.1 MPa (= 100 kPa = 1 bar),

relative humidity 65%.

It is stipulated by adding the "(ANR)" after the unit depicting air volume.

(standard reference atmosphere)

Conformed standard: ISO 8778: 1990 Pneumatic fluid power—Standard reference

atmosphere, JIS B 8393: 2000: Pneumatic fluid power—Standard reference atmosphere

(3) Formula for flow rate

It is described by the practical units as following.

When

$$\frac{P_{2} + 0.1}{P_{1} + 0.1} \le b$$
, choked flow

$$Q = 600 \times C (P_1 + 0.1) \sqrt{\frac{293}{273 + T}}$$
(1)

When

$$\frac{{\bf P}_{2}+0.1}{{\bf P}_{1}+0.1}>{\bf b}$$
, subsonic flow

$$\mathbf{Q} = 600 \times \mathbf{C} (\mathbf{P}_1 + 0.1) \sqrt{1 - \left[\frac{\mathbf{P}_2 + 0.1}{\mathbf{P}_1 + 0.1} - \mathbf{b} \right]^2 \sqrt{\frac{293}{273 + \mathbf{T}}}}$$
(2)

Solenoid Valve Flow Rate Characteristics VX21/22/23 Series

Q: Air flow rate [L/min (ANR)]

C: Sonic conductance [dm³/(s·bar)], dm³ (Cubic decimeter) of SI = L (liter).

b: Critical pressure ratio [—]

P1: Upstream pressure [MPa]

P2: Downstream pressure [MPa]

T: Temperature [°C]

Note) Formula of subsonic flow is the elliptic analogous curve.


Flow rate characteristics are shown in Graph (1) For details, please use the calculation software available from SMC website.

Obtain the air flow rate for $P_1 = 0.4$ [MPa], $P_2 = 0.3$ [MPa], T = 20 [°C] when a solenoid valve is performed in $C = 2 \text{ [dm}^3/(\text{s-bar}) \text{] and } b = 0.3.$

According to formula 1, the maximum flow rate =
$$600 \times 2 \times (0.4 + 0.1) \times \sqrt{\frac{293}{273 + 20}} = 600 \text{ [L/min (ANR)]}$$

Pressure ratio =
$$\frac{0.3 + 0.1}{0.4 + 0.1} = 0.8$$

Based on Graph (1), it is going to be 0.7 if it is read by the pressure ratio as 0.8 and the flow ratio to be b = 0.3. Hence, flow rate = Max. flow x flow ratio = 600 x 0.7 = 420 [L/min (ANR)]



Graph (1) Flow rate characteristics

(4) Test method

Attach a test equipment with the test circuit shown in Fig. (1) while maintaining the upstream pressure to a certain level which does not go below 0.3 MPa. Next, measure the maximum flow to be saturated in the first place, then measure this flow rate at 80%, 60%, 40%, 20% and the upstream and downstream pressure. And then, obtain the sonic conductance \boldsymbol{C} from this maximum flow rate. In addition, calculate \boldsymbol{b} using each data of others and the subsonic flow formula, and then obtain the critical pressure ratio **b** from that average.




Fig. (1) Test circuit based on ISO 6358: 1989, JIS B 8390: 2000



VX2

VXK

VXD

VXZ VXS

VXB

VXE

VXP

VXR

VXH

VXF

VX3

2.2 Effective area S

(1) Conformed standard

JIS B 8390: 2000: Pneumatic fluid power—Components using compressible fluids—

Determination of flow rate characteristics

Equipment standards: JIS B 8373: Solenoid valve for pneumatics

JIS B 8379: Silencer for pneumatics

JIS B 8381-1: Fittings for pneumatics—Part 1: Push-in fittings for thermoplastic resin tubing JIS B 8381-2: Fittings for pneumatics—Part 2: Compression fittings for thermoplastic resin tubing

(2) Definition of flow rate characteristics

Effective area S: The cross-sectional area having an ideal throttle without friction deduced from the calculation of the pressure changes inside an air tank or without reduced flow when discharging the compressed air in a choked flow, from an equipment attached to the air tank. This is the same concept representing the "easy to run through" as sonic conductance C.

(3) Formula for flow rate

When

$$\frac{P_{2} + 0.1}{P_{1} + 0.1}$$
 0.5, choked flow

$$\mathbf{Q} = 120 \times \mathbf{S} (\mathbf{P}_1 + 0.1) \sqrt{\frac{293}{273 + \mathbf{T}}}$$
(3)

When

$$\frac{P_{2} + 0.1}{P_{1} + 0.1} > 0.5$$
, subsonic flow

$$P_1 + 0.1$$
 > 0.5, Subsolite flow

$$\mathbf{P}_1 + 0.1$$

 $\mathbf{Q} = 240 \times \mathbf{S} \sqrt{(\mathbf{P}_2 + 0.1) (\mathbf{P}_1 - \mathbf{P}_2)} \sqrt{\frac{293}{273 + \mathbf{T}}}$ (4)

Conversion with sonic conductance C:

Q : Air flow rate[L/min(ANR)]

S : Effective area [mm²]

P1: Upstream pressure [MPa]

P2: Downstream pressure [MPa]

T: Temperature [°C]

Note) Formula for subsonic flow (4) is only applicable when the critical pressure ratio \boldsymbol{b} is the unknown equipment. In the formula (2) by the sonic conductance \boldsymbol{C} , it is the same formula as when $\boldsymbol{b} = 0.5$.

(4) Test method

Attach a test equipment with the test circuit shown in Fig. (2) in order to discharge air into the atmosphere until the pressure inside the air tank goes down to 0.25 MPa (0.2 MPa) from an air tank filled with the compressed air at a certain pressure level (0.5 MPa) which does not go below 0.6 MPa. At this time, measure the discharging time and the residual pressure inside the air tank which had been left until it turned to be the normal values to determine the effective area S, using the following formula. The volume of an air tank should be selected within the specified range by corresponding to the effective area of an equipment for test. In the case of JIS B 8379, the pressure values are in parentheses and the coefficient of the formula is 12.9.




Fig. (2) Test circuit based on JIS B 8390: 2000

2.3 Flow coefficient CV factor

The United States Standard ANSI/(NFPA)T3.21.3: R1-2008R: Pneumatic fluid power—Flow rating test procedure and reporting method for fixed orifice components

This standard defines the *Cv* factor of the flow coefficient by the following formula that is based on the test conducted by the test circuit analogous to ISO 6358.

$$Cv = \frac{Q}{114.5\sqrt{\frac{\Delta P (P_2 + P_3)}{T_1}}}$$
 (7)

 ΔP : Pressure drop between the static pressure tapping ports [bar]

P₁: Pressure of the upstream tapping port [bar gauge]

 P_2 : Pressure of the downstream tapping port [bar gauge]: $P_2 = P_1 - \Delta P$

Q: Flow rate [L/s standard condition]

Pa: Atmospheric pressure [bar absolute]

T₁: Upstream absolute temperature [K]

Test conditions are $\langle P_1 + P_2 = 6.5 \pm 0.2 \text{ bar absolute}, T_1 = 297 \pm 5 \text{K}, 0.07 \text{ bar} \leq \Delta P$ 0.14 bar.

This is the same concept as effective area **A** which ISO 6358 stipulates as being applicable only when the pressure drop is smaller than the upstream pressure and the compression of air does not become a problem.

3. Process fluid control equipment

(1) Conformed standard

IEC60534-1: 2005: Industrial-process control valves. Part 1: control valve terminology and general considerations

IEC60534-2-3: 1997: Industrial-process control valves. Part 2: Flow capacity, Section Three-Test procedures

JIS B 2005-1: 2012: Industrial-process control valves – Part 1: Control valve terminology and general considerations JIS B 2005-2-3: 2004: Industrial-process control valves – Part 2: Flow capacity – Section 3: Test procedures Equipment standards: JIS B 8471: Solenoid valve for water

JIS B 8472: Solenoid valve for steam
JIS B 8473: Solenoid valve for fuel oil

(2) Definition of flow rate characteristics

Kv factor: Value of the clean water flow rate represented by m³/h that runs through the valve (equipment for test) at 5 to 40°C, when the pressure difference is 1 x 105 Pa (1 bar). It is calculated using the following formula:

$$\mathbf{K}\mathbf{v} = \mathbf{Q}\sqrt{\frac{1 \times 10^5}{\Lambda \mathbf{P}}} \cdot \frac{\rho}{1000}$$
 (8)

Kv: Flow coefficient [m³/h]

Q: Flow rate [m3/h]

△P: Pressure difference [Pa]

 ρ : Density of fluid [kg/m³]

(3) Formula of flow rate

It is described by the practical units. Also, the flow rate characteristics are shown in Graph (2).

In the case of liquid:

$$Q = 53Kv\sqrt{\frac{\Delta P}{G}}$$
 (9)

Q: Flow rate [L/min]

Kv: Flow coefficient [m3/h]

△**P**: Pressure difference [MPa]

G: Relative density [water = 1]

In the case of saturated aqueous vapor:

$$Q = 232 Kv \sqrt{\Delta P(P_2 + 0.1)}$$
(10)

Q: Flow rate [kg/h]

Kv: Flow coefficient [m³/h]

△P: Pressure difference [MPa]

 P_1 : Upstream pressure [MPa]: $\Delta P = P_1 - P_2$

P2: Downstream pressure [MPa]

VX2

VXK VXD

VXZ

VXS

VXB

VXE

VXP

VXR

VXH

VXF

VX3

Conversion of flow coefficient:

Kv = 0.865 **Cv**(11)

Here.

Cv factor: Value of the clean water flow rate represented by US gal/min that runs through the valve at 40 to 100°F, when the pressure difference is 1 lbf/in² (psi)

Value is different from **Kv** and **Cv** factors for pneumatic purpose due to different test method.

(4) Test method

Connect the equipment for the test to the test circuit shown in Fig. (3), and run water at 5 to 40°C. Then, measure the flow rate with a pressure difference where vaporization does not occur in a turbulent flow (pressure difference of 0.035 MPa to 0.075 MPa when the inlet pressure is within 0.15 MPa to 0.6 MPa). However, as the turbulent flow is definitely caused, the pressure difference needs to be set with a large enough difference so that the Reynolds number does not fall below 1 x 105, and the inlet pressure needs to be set slightly higher to prevent vaporization of the liquid. Substitute the measurement results in formula (8) to calculate **Kv**.





Fig. (3) Test circuit based on IEC60534-2-3, JIS B 2005-2-3



Graph (2) Flow rate characteristics

Example 1)

Obtain the pressure difference when water [15 L/min] runs through the solenoid valve with a $Kv = 1.5 \text{ m}^3\text{/h}$. As the flow rate when Kv = 1 is calculated as the formula: $Q_0 = 15 \times 1/1.5 = 10$ [L/min], read off ΔP when Q_0 is 10 [L/min] in Graph (2). The reading is 0.036 [MPa].


Example 2)

Obtain the saturated steam flow rate when $P_1 = 0.8$ [MPa] and $\Delta P = 0.008$ [MPa] with a solenoid valve with a Kv = 0.05 [m³/h]. Read off Q_0 when P_1 is 0.8 and ΔP is 0.008 in Graph (2), the reading is 20 kg/h. Therefore, the flow rate is calculated as the formula: $Q = 0.05/1 \times 20 = 1$ [kg/h].

Flow Rate Characteristics 1

Note) Use this graph as a guide. In the case of obtaining an accurate flow rate, refer to pages 66 through to 70.


For Air



How to read the graph

The sonic range pressure to generate a flow rate of 400 L/min (ANR) is $P_1 \approx 0.2$ MPa for a ø4 orifice and $P_1 \approx 0.58$ MPa for a ø3 orifice.

For Water



How to read the graph

When a water flow of 2 L/min is generated, $\Delta P \approx 0.013$ MPa for a valve with ø3 orifice.

VX2

VXK

VXZ

VXS

VXB

VXE

VXR


VXH

VXF VX3

Flow Rate Characteristics 2

Note) Use this graph as a guide. In the case of obtaining an accurate flow rate, refer to pages 66 through to 70.

For Saturated Steam



How to read the graph

The sonic range pressure to generate a flow rate of 15 kg/h is P1 ≈ 0.55 MPa for a Ø2 orifice and P1 ≈ 0.28 MPa for a Ø3 orifice.



Be sure to read this before handling the products.
Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.

Design

.⚠Warning

1. Cannot be used as an emergency shutoff valve etc.

The valves presented in this catalog are not designed for safety applications such as an emergency shutoff valve. If the valves are used in this type of system, other reliable safety assurance measures should also be adopted.

2. Extended periods of continuous energization

The solenoid coil will generate heat when continuously energized. Avoid using in a tightly shut container. Install the valve in a well-ventilated area. Furthermore, do not touch it while it is being energized or right after it has been energized.

3. Closed liquid circuit

In a closed circuit, when liquid is static, pressure could rise due to changes in temperature. This pressure rise could cause malfunction and damage to components such as valves. To prevent this, install a relief valve in the system.

4. Actuator drive

When an actuator, such as a cylinder, is to be driven using a valve, take appropriate measures to prevent potential danger caused by actuator operation.

5. Pressure (including vacuum) holding

It is not usable for an application such as holding the pressure (including vacuum) inside of a pressure vessel because air leakage is entailed in a valve.

- 6. When the conduit type is used as equivalent to an IP65 enclosure, install a wiring conduit etc.
- When an impact, such as water hammer etc., caused by the rapid pressure fluctuation is applied, the solenoid valve may be damaged. Give an attention to it.

Selection

⚠ Warning

1. Fluid

1) Type of fluid

Before using a fluid, check whether it is compatible with the materials of each model by referring to the fluids listed in this catalog. Use a fluid with a kinematic viscosity of 50 mm²/s or less.

2) Flammable oil, Gas

Do not use the product with combustion-supporting or flammable fluids.

3) Corrosive gas

Cannot be used since it will lead to cracks by stress corrosion or result in other incidents.

- 4) When a brass body is used, then depending on water quality, corrosion and internal leakage may occur. If such abnormalities occur, exchange the product for a stainless steel body.
- 5) Use an oil-free specification when any oily particle must not enter the passage.
- 6) Applicable fluid on the list may not be used depending on the operating condition. Give adequate confirmation, and then determine a model, just because the compatibility list shows the general case.

Selection

⚠Warning

2. Fluid quality

<Air>

1) Use clean air.

Do not use compressed air that contains chemicals, synthetic oils including organic solvents, salt or corrosive gases, etc., as it can cause damage or malfunction.

2) Install an air filter.

Install air filters close to the valves on the upstream side. A filtration degree of 5 μ m or less should be selected.

3) Install an aftercooler or air dryer, etc.


Compressed air that contains excessive drainage may cause malfunction of valves and other pneumatic equipment. To prevent this, install an aftercooler or air dryer, etc.

4) If excessive carbon powder is generated, eliminate it by installing mist separators at the upstream side of valves. If excessive carbon powder is generated by the compressor, it may adhere to the inside of the valves and cause a malfunction.

Refer to Best Pneumatics No.5 for further details on compressed air quality.

<Vacuum>

Please be aware that there is a range of pressure that can be used.



Vacuum piping direction: if the system uses a vacuum pump, we ask that you install the vacuum pump on the secondary side.

Also, install a filter on the primary side, and be careful that no foreign object is picked up.

Please replace the valve after operating the device approximately 300,000 times.

VX2

VXK

VXZ VXS

VXB

VXE VXP

VXR

VXH VXF

VX3 VXA



Be sure to read this before handling the products.
Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.

Selection

⚠ Warning

<Water>

Be aware that rust stains, chloride separation, etc., from the piping may cause malfunction, leakage, or, in worse case scenarios, damage due to corrosion. Also, such damage may result in the spraying of fluids or scattering of parts. Please be sure to have protective measures in place in case such incidents should occur.

The use of a fluid that contains foreign objects can cause problems such as malfunction and seal failure by promoting wear of the valve seat and armature and by sticking to the sliding parts of the armature etc. Install a suitable filter (strainer) immediately upstream from the valve. As a general rule, use 100 mesh.

The supply water includes materials that create a hard sediment or sludge such as calcium and magnesium. Since this scale and sludge can cause the valve to malfunction, install water softening equipment, and a filter (strainer) directly upstream from the valve to remove these substances.

Tap water pressure:

The water pressure for tap water is normally 0.4 MPa or less. However, in places like a high-rise building, the pressure may be 1.0 MPa. When selecting tap water, be careful of the maximum operating pressure differential

When using water or heated water, poor operation or leaks may be caused by dezincification, erosion, corrosion, etc. We offer a stainless steel body type with improved corrosion resistance. Please use the one that fits your needs.

<Oil:

Generally, FKM is used as seal material, as it is resistant to oil. The resistance of the seal material may deteriorate depending on the type of oil, manufacturer or additives. Check the resistance before using. The kinematic viscosity must not exceed 50 mm²/s.

<Steam>

The use of a steam that contains foreign objects can cause problems such as malfunction and seal failure by promoting wear of the valve seat and armature, and by sticking to the sliding parts of the armature etc. Install a suitable filter (strainer) immediately upstream from the valve.

As a standard, the mesh count for the strainer is 100 mesh. However, the size and shape of foreign objects that occur depends on the operating environment. Check the fluid status and choose an appropriate mesh count.

The supply water to a boiler includes materials that create a hard sediment or sludge such as calcium and magnesium.

Sediment and sludge from steam can cause the valve to not operate properly. Install a water softening device, which removes these materials. Do not use operation steam which contains chemicals, synthetic oils containing organic solvents, salts or corrosive gases, etc., as these can cause damage or deterioration.

The seal material (special FKM) used for wetted parts of the product can withstand steam in standard conditions.

However, the resistance of the sealing material can deteriorate depending on the types of additives such as boiler compounds and water conditioners within the boiler steam. Please only utilize the product after determining the sealing material resistance within the actual usage conditions.

3. Ambient environment

Use within the operable ambient temperature range. Check the compatibility between the product's composition materials and the ambient atmosphere. Be certain that the fluid used does not touch the external surface of the product.

4. Countermeasures against static electricity

Take measures to prevent static electricity since some fluids can cause static electricity.

Selection

∧ Warning


5. Low temperature operation

- The valve can be used in an ambient temperature of between -20 to -10°C. However, take measures to prevent freezing or solidification of impurities, etc.
- 2) When using valves for water application in cold climates, take appropriate countermeasures to prevent the water from freezing in tubing after cutting the water supply from the pump, by draining the water etc. When warming by a heater etc., be careful not to expose the coil portion to a heater. Installation of a dryer, heat retaining of the body is recommended to prevent a freezing condition in which the dew point temperature is high and the ambient temperature is low, and the high flow runs.

⚠ Caution

1. Leakage voltage

When the solenoid valve is operated using the controller, etc., the leakage voltage should be the product allowable leakage voltage or less. Particularly when using a resistor in parallel with a switching element and using a C-R element (surge voltage suppressor) to protect the switching element, take note that leakage current will flow through the resistor, C-R element, etc., creating a possible danger that the valve may not turn off.



AC coil: 5% or less of rated voltage DC coil: 2% or less of rated voltage

2. Selecting model

Material depends on fluid. Select optimal models for the fluid.

3. When the fluid is oil.

The kinematic viscosity must not exceed 50 mm²/s.

Mounting

⚠ Warning

 If air leakage increases or equipment does not operate properly, stop operation.

After mounting is completed, confirm that it has been done correctly by performing a suitable function test.

2. Do not apply external force to the coil section.

When tightening is performed, apply a wrench or other tool to the outside of the piping connection parts.

3. Mount a valve with its coil position upward, not downward

When mounting a valve with its coil positioned downward, foreign objects in the fluid will adhere to the iron core leading to a malfunction. Especially for strict leakage control, such as with vacuum applications and non-leak specifications, the coil must be positioned upward.

4. Do not warm the coil assembly with a heat insulator

Use tape, heaters, etc., for freeze prevention on the piping and body only. They can cause the coil to burn out.





Be sure to read this before handling the products.

Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.

Mounting

- 5. Secure with brackets, except in the case of steel piping and copper fittings.
- Avoid sources of vibration, or adjust the arm from the body to the minimum length so that resonance will not occur.

7. Painting and coating

Warnings or specifications printed or labeled on the product should not be erased, removed or covered up.

Disassembly/Assembly Procedures

⚠ Caution

 Before starting the disassembly work, be sure to shut off the power supply and pressure supply, and then release the residual pressure.

Disassembly

<N.C.>

1) Loosen the mounting screws.

The coil assembly, seal, return spring, armature assembly and body can be removed.

<N.O.>

1) Loosen the mounting screws.

The coil assembly, push rod assembly, O-rings, adapter and body can be removed.

Assembly

<Common to N.C. and N.O.>

- Mount the components on the body in the reverse order of disassembly.
- When changing the electrical entry direction, turn the coil assembly in a desired direction to mount it.
- 3) Push the coil assembly against the body and tighten the screws two or more rounds diagonally (Fig. 2) in the status that there are no gaps between the coil assembly and body (Fig. 1).

Tighten the screws in the order of " $1 \rightarrow 2 \rightarrow 3 \rightarrow 4 \rightarrow 1 \rightarrow 2 \rightarrow 3 \rightarrow 4$ ".

Proper Tightening Torque (N·m)

| Troper rightening rolque (14-11) | | | | | | | |
|----------------------------------|-----|--|--|--|--|--|--|
| VX21 | 0.5 | | | | | | |
| VX22 | 0.7 | | | | | | |
| VX23 | 0.7 | | | | | | |






Fig.1 Fig.2

- * After tightening the screws, make sure that there are no gaps between the coil and body (Fig. 1).
- * After the disassembly and assembly have been completed, make sure that no leak occurs from the seal. Additionally, when restarting the valve, make sure that the valve operates correctly after checking the safety.

Disassembly/Assembly Procedures

VX2

VXK

VXD

VXZ

VXS

VXB

VXE


VXP

VXR

VXH

VXF

VX3









Be sure to read this before handling the products.
Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.

Disassembly/Assembly Procedures

∧ Caution

Manifold Exploded View





- * Mounting orientation exists when mounting valves onto manifold base Mount it as shown above.
- * Take great care when special electrical entry direction (XC) is used

Piping

⚠ Warning

 During use, deterioration of the tube or damage to the fittings could cause tubes to come loose from their fittings and thrash about.

To prevent uncontrolled tube movement, install protective covers or fasten tubes securely in place.

For piping the tube, fix the product securely using the mounting holes so that the product is not in the air.

⚠ Caution

1. Preparation before piping

Before piping is connected, it should be thoroughly blown out with air (flushing) or washed to remove chips, cutting oil and other debris from inside the pipe. Avoid pulling, compressing, or bending the valve body when piping.

- 2. Avoid connecting ground lines to piping, as this may cause electric corrosion of the system.
- 3. Always tighten threads with the proper tightening torque.

When using steel piping, tighten with the proper tightening torque shown below.

Lower tightening torque will lead into fluid leakage.

Tightening Torque for Piping

| Thread size | Proper tightening torque (N·m) |
|-------------|--------------------------------|
| Rc1/8 | 7 to 9 |
| Rc1/4 | 12 to 14 |
| Rc3/8 | 22 to 24 |
| Rc1/2 | 28 to 30 |

4. Connection of piping to products

When connecting piping to a product, avoid mistakes regarding the supply port etc.

5. Winding of sealant tape

When connecting pipes, fittings, etc., be sure that chips from the pipe threads and sealing material do not enter the valve.

Furthermore, when sealant tape is used, leave 1.5 to 2 thread ridges exposed at the end of the threads.



 In applications such as vacuum and non-leak specifications, use caution specifically against the contamination of foreign objects or airtightness of the fittings.



Be sure to read this before handling the products.

Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.

Recommended Piping Conditions

 When connecting tubes using One-touch fittings, provide some spare tube length shown in Fig. 1, recommended piping configuration.

Also, do not apply external force to the fittings when binding tubes with bands etc. (see Fig. 2.)




Fig. 1 Recommended piping configuration

Unit: mm

| Critic trian | | | | |
|--------------|------------------|-------------------|---------------------|----------------|
| Tube | Mounting pitch A | | | Straight |
| size | Nylon tubing | Soft nylon tubing | Polyurethane tubing | portion length |
| ø1/8" | 44 or more | 29 or more | 25 or more | 16 or more |
| ø6 | 84 or more | 39 or more | 39 or more | 30 or more |
| ø1/4" | 89 or more | 56 or more | 57 or more | 32 or more |
| ø8 | 112 or more | 58 or more | 52 or more | 40 or more |
| ø10 | 140 or more | 70 or more | 69 or more | 50 or more |
| ø12 | 168 or more | 82 or more | 88 or more | 60 or more |




Fig. 2 Binding tubes with bands

Wiring

⚠ Warning

 The solenoid valve is an electrical product. For safety, install an appropriate fuse and circuit breaker before use.

When using multiple solenoid valves, it is not sufficient to merely install one fuse on the inlet side. In order to ensure the safety of the devices, select and install a fuse for each circuit.

Do not apply AC voltage to Class "H" coil AC type unless it is built in full-wave rectifier, or the coil will be damaged.

⚠ Caution

 As a rule, use electrical wire with a cross sectional area of 0.5 to 1.25 mm² for wiring.

Furthermore, do not allow excessive force to be applied to the lines.

2. Use electrical circuits which do not generate chattering in their contacts.

3. Use voltage which is within $\pm 10\%$ of the rated voltage. In cases with a DC power supply where importance is placed on responsiveness, stay within $\pm 5\%$ of the rated value. The voltage drop is the value in the lead wire section connecting the coil.

4. When a surge from the solenoid affects the electrical circuitry, install a surge voltage suppressor etc., in parallel with the solenoid. Or, adopt an option that comes with the surge voltage protection circuit. (However, a surge voltage occurs even if the surge voltage protection circuit is used.)

VX2

VXK

VXD

VXS

VXB VXE

VXP

VXR

VXH

VXF VX3



Be sure to read this before handling the products. Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.

Operating Environment

⚠ Warning

- 1. Be sure to have appropriate protective measures in place when installed in environments where there is the constant presence of water, such as water spray, condensation, high humidity, etc. This product has an IP65 protective construction; however, when used in the above-mentioned environments, liquid may find its way inside the enclosure through microscopic gaps, possibly resulting in the burning out, short-circuiting, or ignition of coils.
- 2. Do not use in an atmosphere having corrosive gases, chemicals, sea water, or where there is direct contact with any of these.
- 3. Do not use in explosive atmospheres.
- 4. Do not use in locations subject to vibration or impact.
- 5. Do not use in locations where radiated heat will be received from nearby heat sources.
- 6. Employ suitable protective in locations where there is contact with oil or welding spatter, etc.

Maintenance

⚠ Warning

1. Removing the product

The valve will reach a high temperature when used with high temperature fluids. Confirm that the valve temperature has dropped sufficiently before performing work. If touched inadvertently, there is a danger of being burned.

- 1) Shut off the fluid supply and release the fluid pressure in the system.
- 2) Shut off the power supply.
- 3) Dismount the product.

2. Low frequency operation

Switch valves at least once every 30 days to prevent malfunction. Also, in order to use it under the optimum state, conduct a regular inspection once a half year.

△ Caution

1. Filters and strainers

- 1) Be careful regarding clogging of filters and strainers.
- 2) Replace filter elements after one year of use, or earlier if the pressure drop reaches 0.1 MPa.
- 3) Clean strainers when the pressure drop reaches 0.1 MPa.

2. Lubrication

When using after lubricating, never forget to lubricate continuously.

3. Storage

In case of long term storage after use, thoroughly remove all moisture to prevent rust and deterioration of rubber materials etc.

4. Exhaust the drainage from an air filter periodically.

Operating Precautions


⚠ Warning

- 1. If there is a possibility of reverse pressure being applied to the valve, take countermeasures such as mounting a check valve on the downstream side of the valve.
- 2. When problems are caused by a water hammer, install water hammer relief equipment (accumulator etc.), or use an SMC water hammer relief valve (VXR series).

Electrical Connections

■ Grommet

Class B coil: AWG20 Insulator O.D. 2.6 mm Class H coil: AWG18 Insulator O.D. 2.1 mm



| Rated | Lead wire color | | |
|----------|-----------------|------|--|
| voltage | 1 | 2 | |
| DC | Black | Red | |
| 100 VAC | Blue | Blue | |
| 200 VAC | Red | Red | |
| Other AC | Gray | Gray | |

* There is no polarity.

■ DIN terminal Disassembly


- 1. After loosening the binding head screw with flange, then if the housing is pulled in the direction of the arrow, the connector will be removed from the solenoid valve.
- 2. Pull out the binding head screw with flange from the housing.
- 3. There is a cutout on the bottom of the terminal block. Insert a small flat head screwdriver, etc. into this cutout, and remove the terminal block from the housing. (See figure below.)
- 4. Remove the ground nut, and pull out the washer and the rubber seal.
- 1. Pass the cable through the ground nut, washer and rubber seal in this order, and insert these parts into the housing.
- 2. Loosen the binding head screw of the terminal block, then insert the core wire or the crimped terminal of the lead wire into the terminal, and securely fix it with the binding head screw. The binding head screw of the terminal block is M3.

Note 1) Tighten the screw to a torque of between 0.5 and 0.6 N·m. Note 2) Cable O.D.: ø6 to ø12 mm

Note 3) For an outside cable diameter of ø9 to 12 mm, remove the internal parts of the rubber seal before using.

Assembly

- 1. Pass the cable through the ground nut, washer, rubber seal and the housing in this order, and connect to the terminal block. Then, set the terminal block inside the housing. (Push in the terminal block until it snaps into position.)
- 2. Insert the rubber seal and the washer in this order into the cable entry of the housing, and then tighten the ground nut securely.
- 3. Insert the gasket between the bottom part of the terminal block and the plug attached to the equipment, and then insert the binding head screw with flange from the top of the housing, and tighten it. Note 1) Tighten the screw to a torque of between 0.5 and 0.6 N·m.
 - Note 2) The orientation of the connector can be changed in steps of 90° by changing the method of assembling the housing and the terminal block.





Be sure to read this before handling the products.
Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.

Electrical Connections

⚠ Caution

Internal connections are as shown below. Make connections to the power supply accordingly.



| Terminal no. | 1 | 2 |
|--------------|------|------|
| DIN terminal | +(-) | -(+) |

^{*} There is no polarity.

DIN (EN175301-803) Terminal

This DIN terminal corresponds to the Form A DIN connector with an 18 mm terminal pitch, which complies with EN175301-803B.



■ Conduit terminal

Disassembly

Loosen the mounting screw, and remove the terminal cover from the conduit terminal.

Wiring

- 1. Insert the cable into the conduit terminal.
- Loosen the screw with UP terminal of the conduit terminal, then insert the core wire or the crimped terminal of the lead wire into the terminal, and securely fix it with the screw with UP terminal. Note 1) Tighten the screw to a torque of between 0.5 and 0.6 N·m.

∧ Caution

■ Conduit terminal

Assembly


 Insert the gasket into the conduit terminal, and then clamp the terminal cover with the mounting screw.

Note 1) Tighten the screw to a torque of between 0.5 and 0.6 N·m.

Note 2) When changing the orientation of the conduit terminal,
carry out the following procedure.


- Apply a tool (monkey wrench, spanner, etc.) to the width across flats of the conduit terminal, and turn the terminal in the counterclockwise direction.
- 2. Loosen the lock nut.
- Turn the conduit terminal in the clamping direction (clockwise direction) to about 15° ahead of the desired position.
- Turn the lock nut by hand to the coil side until it is lightly tightened.
- 5. Apply a tool to the width across flats of the conduit terminal, and turn it to the desired position (through an angle of about 15°) so as to clamp the conduit terminal.

Note) When changing the orientation by applying additional tightening force to the conduit terminal from the factory-set position, turn no more than one half a turn.



Make connections according to the marks shown below.

- Use the tightening torques below for each section.
- Properly seal the terminal connection (G1/2) with the special wiring conduit etc.



(Internal connection diagram)



VX2

VXK

VXD

VXZ

VXS

VXB

VXE

VXP

VXR

VXH

VXF

VX3



VX21/22/23 Series Specific Product Precautions 8 Be sure to read this before handling the products.

Be sure to read this before handling the products.

Refer to back page 50 for Safety Instructions and pages 17 to 19 for 2 Port Solenoid Valve for Fluid Control Precautions.


Electrical Connections

⚠ Caution

■ Conduit

When used as an IP65 equivalent, use seal to install the wiring conduit. Also, use the tightening torque below for the conduit.

Class B coil: AWG20 Insulator O.D. 2.5 mm Class H coil: AWG18 Insulator O.D. 2.1 mm



(Bore size G1/2 Tightening torque 0.5 to 0.6 N·m)

| 5 | Lead wire color | | |
|---------------|-----------------|------|--|
| Rated voltage | 1) | 2 | |
| DC | Black | Red | |
| 100 VAC | Blue | Blue | |
| 200 VAC | Red | Red | |
| Other AC | Gray | Gray | |

^{*} There is no polarity.

| Description | Part no. |
|-------------|------------|
| Seal | VCW20-15-6 |


Note) Please order separately.

Electrical Circuits


⚠ Caution

[DC circuit]


Grommet, Flat terminal



Grommet, DIN terminal, Conduit terminal, Conduit



DIN terminal. Conduit terminal




With light/surge voltage suppressor

[AC circuit]


* For AC (Class B), the standard product is equipped with surge voltage suppressor.

Grommet, DIN terminal, Conduit terminal, Conduit



Without electrical option

DIN terminal, Conduit terminal



With light/surge voltage suppressor

One-touch Fitting

⚠ Caution

For information on handling One-touch fittings and on appropriate tubing, refer to page 77 and the Fittings & Tubing section of the "Handling Precautions for SMC Products" on the SMC website.

